Index of Authors and Titles (Vols 85-90)

ADAMS, C. A. See BARTON, S. C.

ADAMS, L. M. See JOHNSON, D. R.

ADAMSON, E. D. See MEEK, J.

AKITA, Y. and WAKAHARA, M. Cytological analyses of factors which determine the number of primordial germ cells (PGCs) in Xenopus laevis 90, 251

ALBERCH, P., LEWBART, G. A. and GALE, E. A. The fate of larval chondrocytes during the metamorphosis of the epibranchial in the salamander, Eurycea bislineata 88, 71

ALDERSON, T. See COOK, G. M. W.

ANDERSON, G. B. See WIEBOLD, J. L.

ANDERSON, H. The development of projections and connections from transplanted locust sensory neurons 85, 207

ANDERSON, H. and FRENCH, v. Cell division during intercalary regeneration in the cockroach leg 90, 57

ANDERSON, H. See BURT, R.

ANDREWS, P. W. See DAMJANOV, I.

ANEHUS, S. See EMANUELSSON, H.

ARCHER, C. W., RODNEY, P. and COTTRILL, C. P. Cartilage morphogenesis in vitro 90, 33

ARGENTO, M. P. C. See STEPHANINI, S.

BAGUÑÀ, J. See SALÓ, E.

BARD, J. B. L. See CAMPBELL, S.

BARONE, D. See MALACINSKI, G. M.

BARTON, S. C., ADAMS, C. A., NORRIS, M. L. and SURANI, M. A. H. Development of gynogenetic and parthenogenetic inner cell mass and trophectoderm tissues in reconstituted blastocysts in the mouse 90, 267

BEADLE, D. J. See BLAGBURN, J. M.

BEAZLEY, L. D. See DUNLOP, S. A.

BECHTOL, K. B. See HO, W. C.

BEDDINGTON, R. S. P. The development of 12th to 14th day foetuses following reimplantation of pre- and early-primitive-streak-stage mouse embryos 88, 281

BELL, K. M. and McLACHLAN, J. C. Stimulation of division in mouse 3T3 cells by coculture with embryonic chick limb tissue 86, 219

BELLAIRS, R. See COOK, G. M. W.

BELLAIRS, R. See LOVELL-BADGE, R. H.

BLAGBURN, J. M., BEADLE, D. J. and SATTELLE, D. B. Development of synapses between identified sensory neurones and giant interneurones in the cockroach Periplaneta americana 86, 227

BOLTON, V. N. See HOWLETT, S. K. BONNER, J. T., HAY, A., JOHN, D. G. a

BONNER, J. T., HAY, A., JOHN, D. G. and SUTHERS, H. B. pH affects fruiting and slug orientation in Dictyostelium discoideum 87, 207

BOUCAUT, J. C., DARRIBERE, T., LI, S. D., BOULEKBACHE, H., YAMADA, K. M. and THIERY, J. P. Evidence for the role of fibronectin in amphibian gastrulation 89 Supplement, 211

BOULEKBACHE, H. See BOUCAUT, J. C.

BOWNES, M. See DALE, L.

BRENNAN, S. See GURDON, J. B.

BROCKES, J. P. See KINTNER, C. R.

BROWN, D. See WYLIE, C. C.

BROWN, N. A. See FREEMAN, S. J.

BROWN, S. See RASTAN, S.

BRYANT, S. V. See MUNEOKA, K.

BULLETT, R. F. and ZIMMERMAN, E. F. The influence of the epithelium on palate shelf reorientation 88, 265

BURT, R. and ANDERSON, H. Patterns of peanut agglutinin binding within the developing grass-hopper central nervous system 90, 49

BURTENSHAW, M. D. See GARDNER, R. L.

CAMPBELL, S. and BARD, J. B. L. The acellular stroma of the chick cornea inhibits melanogenesis of the neural-crest-derived cells that colonize it 86, 143

CASANOVA, J., SÁNCHEZ-HERRERO, E. and MORATA, G. Contrabithorax and the control of spatial expression of the bithorax complex genes of Drosophila 90, 179

CASCIO, S. See GURDON, J. B.

CHISHOLM, J. C., JOHNSON, M. H., WARREN, P. D., FLEMING, T. P. and PICKERING, S. J. Developmental variability within and between mouse expanding blastocysts and their ICMs 86, 311

CHUNG, H-M. See NEFF, A. W.

CLEINE, J. H. and DIXON, K. E. The effect of egg rotation on the differentiation of primordial germ cells in Xenopus laevis 90, 79

CLEINE, J. H. and SLACK, J. M. W. Normal fates and states of specification of different regions in the axolotl gastrula 86, 247

CLEINE, J. H. See SLACK, J. M. W.

COLVEE, E. See HURLE, J. M.

CONLON, R. A. See KIDDER, G. M.

COOK, G. M. W., BELLAIRS, R., RUTHERFORD, N. G., STAFFORD, C. A. and ALDERSON, T. Isolation, characterization and localization of a lectin within the vitelline membrane of the hen's egg 90, 389

COOKE, J. Dynamics of the control of body pattern in the development of *Xenopus laevis*. III.

Timing and pattern after u.v. irradiation of the egg and after excision of presumptive head endo-mesoderm 88, 135

COOKE, 1. The system specifying body position in the early development of *Xenopus*, and its response to early perturbations 89 Supplement, 69

COOKE, J. and WEBBER, J. A. Dynamics of the control of body pattern in the development of Xenopus laevis. I. Timing and pattern in the development of dorsoanterior and posterior blastomere pairs, isolated at the 4-cell stage 88, 85

COOKE, J. and WEBBER, J. A. Dynamics of the control of body pattern in the development of Xenopus laevis. II. Timing and pattern in the development of single blastomeres (presumptive blastomere pairs) isolated at the 2-cell stage 88, 117

COPP, A. J. Relationship between timing of posterior neuropore closure and development of spinal neural tube defects in mutant (curly tail) and normal mouse embryos in culture 88, 39

COTTRILL, C. P. See ARCHER, C. W.

CROWTHER, R. J. See MIYAMOTO, D. M. CROY, B. A. See ROSSANT, J.

DALE, L. See SMITH, J. C.

DALE, L. and BOWNES, M. Pattern regulation in fragments of Drosophila wing discs which show variable wound healing 85, 95

DALE, L., SMITH, J. C. and SLACK, J. M. W. Mesoderm induction in *Xenopus laevis*: a quantitative study using a cell lineage label and tissue-specific antibodies 89, 289

DAMJANOV, I., D. MJANOV, A. and ANDREWS, P. W. Trophectodermal carcinoma: mouse teratocarcinoma-derived tumour stem cells differentiating into trophoblastic and yolk sac elements 86, 125

DAMJANOV, A. See DAMJANOV, I.

DANE, P. J. and TUCKER, J. B. Modulation of epidermal cell shaping and extracellular matrix during caudal fin morphogenesis in the zebra fish *Brachydanio rerio* 87, 145

DANILCHIK, M. See KELLER, R. E.

DARRIBERE, T. See BOUCAUT, J. C.

DAWID, I. B., HAYNES, S. R., JAMRICH, M., JONAS, E., MIYATANI, S., SARGENT, T. D. and WINKLES, J. A. Gene expression in *Xenopus* embryogenesis 89 Supplement, 113

DE FELICI, M. and SIRACUSA, G. Adhesiveness of mouse primordial germ cells to follicular and Sertoli cell monolayers 87, 87

- DE TERRA, N. Does the oral apparatus of the ciliate *Stentor* inhibit oral development by release of a diffusible substance 87, 241
- DE TERRA, N. Cytoskeletal discontinuities in the cell body cortex initiate basal body assembly and oral development in the ciliate Stentor 87, 249
- DEL PINO, E. M. See ELINSON, R. P.
- DIXON, K. E. See CLEINE, J. H.
- DOETSCHMAN, T. C., EISTETTER, H., KATZ, M., SCHMIDT, W. and KEMLER, R. The in vitro development of blastocyst-derived embryonic stem cell lines: formation of visceral yolk sac, blood islands and myocardium 87, 27
- DREYER, C. See HAUSEN, P.
- DUNLOP, S. A. and BEAZLEY, L. D. Cell distributions in the retinal ganglion cell layer of adult Leptodactylid frogs after premetamorphic eye rotation 89, 159
- DUPRAT, A-M., KAN, P., FOULQUIER, F. and WEBER, M. In vitro differentiation of neuronal precursor cells from amphibian late gastrulae: morphological, immunocytochemical studies, biosynthesis, accumulation and uptake of neurotransmitters 86, 71
- DUPRAT, A-M., KAN, P., GUALANDRIS, L., FOULQUIER, F., MARTY, J. and WEBER, M. Neural induction: embryonic determination elicits full expression of specific neuronal traits 89 Supplement, 167
- DUPRAT, A-M. See GUALANDRIS, L.
- DURSTON, A. J. See WEIJER, C. J.
- EISEN, J. S. See GOVIND, C. K.
- EISTETTER, H. See DOETSCHMAN, T. C.
- ELINSON, R. P. and DEL PINO, E. M. Cleavage and gastrulation in the egg-brooding, marsupial frog, Gastrotheca riobambae 90, 223
- EMANUELSSON, H. Autoradiographic analysis of RNA synthesis in the oocyte-nurse cell complex of the polychaete Ophryotrocha labronica 88, 249
- EMANUELSSON, H. and ANEHUS, s. Development in vitro of the female germ cells of the polychaete Ophryotrocha labronica 85, 151
- ERICKSON, R. P. See SÁNCHEZ, E. R.
- EVANS, E. P. See GARDNER, R. L.
- EVANS, M. J. See LOVELL-BADGE, R. H.
- EYAL-GILADI, H. See KHANER, O.
- FALUGI, C. and RAINERI, M. Acetylcholinesterase (AChE) and pseudocholinesterase (BuChE) activity distribution pattern in early developing chick himbs 86, 89
- FARRACE, M. G. See STEFANINI, S.
- FAWCETT, J. W. Factors guiding regenerating retinotectal fibres in the frog *Xenopus laevis* 90, 233 FAWCETT, J. W. See RICKMANN, M.
- FEIZI, T. See PENNINGTON, J. E.
- FEIZI, T. See RASTAN, S.
- FERNANDEZ-TERAN, M. A. See HURLE, J. M.
- FESTING, M. F. W. See PONTING, B. A. J.
- FISHER, C. and KOLLAR, E. J. Abnormal skin development in pupoid foetus (pf/pf) mutant mice 87, 47
- FLEMING, T. P. and PICKERING, S. J. Maturation and polarization of the endocytotic system in outside blastomeres during mouse preimplantation development 89, 175
- FLEMING, T. P. See CHISHOLM, J. C.
- FLINN, R. M. See JOHNSON, D. R.
- FORD, c. c. Maturation promoting factor and cell cycle regulation 89 Supplement, 271
- FOULQUIER, F. See DUPRAT, A-M.
- FREEMAN, S. J. and BROWN, N. A. Comparative effects of cathepsin inhibitors on rat embryonic development in vitro. Evidence that cathepsin D is unimportant in the proteolytic function of the yolk sac 86, 271
- FRENCH, V. See ANDERSON, H.

GALE, E. A. See ALBERCH, P.

GARAGNA, S. See REDI, C. A.

GARBUTT, D. J. See SCHMIDT, G. H.

GARDNER, R. L. Regeneration of endoderm from primitive ectoderm in the mouse embryo: fact or artifact? 88, 303

GARDNER, R. L., LYON, M. F., EVANS, E. P. and BURTENSHAW, M. D. Clonal analysis of X-chromosome inactivation and the origin of the germ line in the mouse embryo 88, 349

GAUNT, S. J. In vivo and in vitro cultured mouse preimplantation embryos differ in their display of a teratocarcinoma cell surface antigen: possible binding of an oviduct factor 88, 55

GAY, s. w. and Kosher, R. A. Prostaglandin synthesis during the course of limb cartilage differentiation in vitro 89, 367

GAZE, R. M. See TAYLOR, J. S. H.

GILLESPIE, J. I. See STERN, C. D.

GIMLICH, R. L. Cytoplasmic localization and chordamesoderm induction in the frog embryo 89 Supplement, 89

GIMLICH, R. L. See KELLER, R. E.

GODSAVE, S. F. See WYLIE, C. C.

GOOI, H. C. See RASTAN, S.

GORDON, R. A review of the theories of vertebrate neurulation and their relationship to the mechanics of neural tube birth defects 89 Supplement, 229

GOVIND, C. K., STEPHENS, P. J. and EISEN, J. S. Polyneuronal innervation of an adult and embryonic lobster muscle 87, 13

GRAHAM, C. F. See SHI, W-K.

GRAU, Y., REICHHART, J-M. and THIEBOLD, J. Growth stimulation of the immature chick oviduct by androgens: the vagina as a new target tissue 85, 81

GREGG, J. H. See KREFT ., M.

GRUNZ, H. Information transfer during embryonic induction in amphibians 89 Supplement, 349
 GUALANDRIS, L., ROUGE, P. and DUPRAT, A-M. Target cell surface glycoconjugates and neural induction in an amphibian 86, 39

GUALANDRIS, L. See DUPRAT, A-M.

GURDON, J. B., MOHUN, T. J., BRENNAN, S. and CASCIO, S. Actin genes in Xenopus and their developmental control 89 Supplement, 125

HABROVÁ, V. See PALEČEK, J.

HAMADA, H. See SATO, M.

HAMMERBERG, C. See SÁNCHEZ, E. R.

HAUSEN, P., WANG, H. Y., DREYER, C. and STICK, R. Distribution of nuclear proteins during maturation of the Xenopus oocyte 89 Supplement, 17

HAUSEN, P. See WINKLBAUER, R.

HAY, A. See BONNER, J. T.

HAYNES, S. R. See DAWID, I. B.

HEASMAN, J., SNAPE, A., SMITH, J. C. and WYLIE, C. C. Single cell analysis of commitment in early embryogenesis 89 Supplement, 297

HEASMAN, J. See WYLIE, C. C.

HEATH, J. K. See SHI, W-K.

HILFER, S. R. See VAN DE KAMP, M.

HILSCHER, B. See REDI, C. A.

HINCHLIFFE, J. R. and SANSOM, A. The distribution of the polarizing zone (ZPA) in the legbud of the chick embryo 86, 169

HINCHLIFFE, J. R. See WILSON, D. J.

Ho, w. c. and BECHTOL, K. B. Induction of cell-cell adhesion by monovalent antibodies in a germ cell culture 90, 211

HOGG, H. and McLAREN, A. Absence of a sex vesicle in meiotic foetal germ cells is consistent with an XY sex chromosome constitution 88, 327

HOLDER, N. and WEEKES, c. Regeneration of axolotl hindlimbs bearing surgically created discontinuities in the anterior-posterior axis 86, 283

HOLLER-DINSMORE, G. V. See MUNEOKA, K.

HONIG, L. S. and SUMMERBELL, D. Maps of strength of positional signalling activity in the developing chick wing bud 87, 163

HOPKINS, B. See SHI, W-K.

HORNBY, J. E. See STEPHENSON, D. A.

HOWLETT, S. K. and BOLTON, V. N. Sequence and regulation of morphological and molecular events during the first cell cycle of mouse embryogenesis 87, 175

HUMPHREYS, T. See KLEENE, K. C.

HURLE, J. M., COLVEE, E. and FERNANDEZ-TERAN, M. A. Vascular regression during the formation of the free digits in the avian limb bud: a comparative study in chick and duck embryos 85, 239

IKEGAMA, S. See MITA-MIYAZAWA, I.

INAGUMA, Y. See KIMATA, K.

INGHAM, P. w. A clonal analysis of the requirement for the trithorax gene in the diversification of segments in Drosophila 89, 349

INGHAM, P. W. See MARTINEZ-ARIAS, A.

JAMRICH, M. See DAWID, I. B.

JEFFERY, W. R. Identification of proteins and mRNAs in isolated yellow crescents of ascidian eggs 89, 275

JOHN, D. G. See BONNER, J. T.

JOHNSON, D. R., O'HIGGINS, P., McANDREW, T. J., ADAMS, L. M. and FLINN, R. M. Measurement of biological shape: a general method applied to mouse vertebrae 90, 363

JOHNSON, M. H. and MARO, B. A dissection of the mechanisms generating and stabilizing polarity in mouse 8- and 16-cell blastomeres: the role of cytoskeletal elements 90, 311

JOHNSON, M. H. See CHISHOLM, J. C.

JOHNSON, M. H. See MARO, B.

JOHNSON, M. H. See SMITH, R. K. W.

JONAS, E. See DAWID, I. B.

JONES, E. A. Epidermal development in Xenopus laevis: the definition of a monoclonal antibody to an epidermal marker 89 Supplement, 155

KALAIZIS, A. See ROWE, P. B.

KAN, P. See DUPRAT, A-M.

KASAI, M. See SATO, M.

KATO, M. See KIMATA, K.

KATZ, M. See DOETSCHMAN, T. C.
KELLER, R. E., DANILCHIK, M., GIMLICH, R. and SHIH, J. The function and mechanism of convergent extension during gastrulation of Xenopus laevis 89 Supplement, 185

KEMLER, R. See DOETSCHMAN, T. C.

KENNY-MOBBS, T. Myogenic differentiation in early chick wing mesenchyme in the absence of the brachial somites 90, 415

KEYNES, R. J. See RICKMANN, M.

KHANER, O., MITRANI, E. and EYAL-GILADI, H. Developmental potencies of area opaca and marginal zone areas of early chick blastoderms 89, 235

KIDDER, G. M. and CONLON, R. A. Utilization of cytoplasmic poly(A)*RNA for protein synthesis in preimplantation movse embryos 89, 223

KIMATA, K., SAKAKURA, T., INAGUMA, Y., KATO, M. and NISHIZUKA, Y. Participation of two different mesenchymes in the developing mouse mammary gland: synthesis of basement membrane components by fat pad 89, 243

KINTNER, C. R. and BROCKES, J. P. Monoclonal antibodies to the cells of a regenerating limb 89, 37
KLEENE, K. C. and HUMPHREYS, T. Transcription of similar sets of rare maternal RNAs and rare nuclear RNAs in sea urchin blastulae and adult coelomocytes 85, 131

ковауакаwa, у. Accumulation of pigment granules around nuclei in early embryos of Anura (Amphibia) 88, 293

KOLLAR, E. J. See FISHER, C.

KOMAR, A. See NIEMIERKO, A.

KOSHER, R. A. See GAY, S. W.

KREFFT, M., VOET, L., GREGG, J. H. and WILLIAMS, K. L. Use of a monoclonal antibody recognizing a cell surface determinant to distinguish prestalk and prespore cells of *Dictyostelium discoideum* slugs 88, 15

кивота, т. See онѕніма, н.

KUWADA, J. Y. Pioneering and pathinding by an identified neuron in the embryonic leech 86, 155

LAING, N. G. and LAMB, A. H. Muscle fibre types and innervation of the chick embryo limb following cervical spinal cord removal 89, 209

LAMB, A. H. See LAING, N. G.

LASKEY, R. A. Chromosome replication in early development of Xenopus laevis 89 Supplement, 285

LEE, J. and TICKLE, c. Retinoic acid and pattern formation in the developing chick wing: SEM and quantitative studies of early effects on the apical ectodermal ridge and bud outgrowth 90, 139

LEHTONEN, E. A monoclonal antibody against mouse oocyte cytoskeleton recognizing cytokeratin-type filaments 90, 197

LEWBART, G. A. See ALBERCH, P.

LI, S. D. See BOUCAUT, J. C.

LIM, L. See TUCKETT, F.

LOUVARD, D. See MARO, B.

LOVELL-BADGE, R. H., EVANS, M. J. and BELLAIRS, R. Protein synthetic patterns of tissues in the early chick embryo 85, 65

LUKE, B. M. See SHI, W-K.

LYON, M. F. See GARDNER, R. L.

MADDRELL, S. H. P. and OVERTON, J. A. Maintenance of function in single epithelial cells spatially isolated from similar cells 90, 409

MAINI, P. K. See OSTER, G. F.

MALACINSKI, G. M. and BARONE, D. Towards understanding paternal extragenic contributions to early amphibian pattern specification: the axolotl ts-1 gene as a model 89 Supplement, 53 MALACINSKI, G. M. See MEULER, D. C.

MALACINSKI, G. M. See NEFF, A. W.

MANNING, S. See STERN, C. D.

MARO, B. See JOHNSON, M. H.

MARO, B., JOHNSON, M. H., PICKERING, S. J. and LOUVARD, D. Changes in distribution of membranous organelles during mouse early development 90, 287

MARTINEZ-ARIAS, A. The development of fused embryos of Drosophila melanogaster 87, 99

MARTINEZ-ARIAS, A. and INGHAM, P. W. The origin of pattern duplications in segment polarity mutants of Drosophila melanogaster 87, 129

MARTY, J. See DUPRAT, A-M.

McANDREW, T. J. See JOHNSON, D. R.

McLACHLAN, J. C. See BELL, K. M.

McLAREN, A. See HOGG, H.

MEEK, J. and ADAMSON, E. D. Transferrin in foetal and adult mouse tissues: synthesis, storage and secretion 86, 205

MEULER, D. C. and MALACINSKI, G. M. An analysis of protein synthesis patterns during early embryogenesis of the urodele – Ambystoma mexicanum 89, 71

MILLER, J. G. O. and SCHULTZ, G. A. Amino acid transport in mouse blastocyst compartments 89,

MILLER, J. G. O. See SCHULTZ, G. A.

мпта-мпуадама, I., IKEGAMA, s. and satoh, N. Histospecific acetylcholinesterase development in the presumptive muscle cells isolated from 16-cell-stage ascidian embryos with respect to the number of DNA replications 87, 1

MITRANI, E. See KHANER, O.

MIYAMOTO, D. M. and CROWTHER, R. J. Formation of the notochord in living ascidian embryos 86, 1

MIYATANI, S. See DAWID, I. B.

MOHUN, T. J. See GURDON, J. B.

MORATA, G. See CASANOVA, J.

MORRISS-KAY, G. and TUCKETT, F. The role of microfilaments in cranial neurulation in rat embryos: effects of short-term exposure to cytochalasin D 88, 333

MORRISS-KAY, G. M. See TUCKETT, F.

MUNEOKA, K., HOLLER-DINSMORE, G. v. and BRYANT, S. v. A quantitative analysis of regeneration from chimaeric limb stumps in the axolotl 90, 1

MURAMATSU, T. See SATO, M.

MURRAY, J. D. See OSTER, G. F.

NAKAMURA, H. See NAKANO, K. E.

NAKANISHI, S. and UYEKI, E. M. Benzamide on chondrocytic differentiation in chick limb bud culture 85, 163

NAKANO, K. E. and NAKAMURA, H. Origin of the irideal striated muscle in birds 88, 1

NEDVIDEK, J. See PALEČEK, J.

NEFF, A. W., MALACINSKI, G. M. and CHUNG, H-M. Microgravity simulation as a probe for understanding early Xenopus pattern specification 89, 259

NIEMIERKO, A. and KOMAR, A. Action of phorbol myristate acetate (PMA) at fertilization of mouse oocytes in vitro 90, 171

NIEUWKOOP, P. D. Inductive interactions in early amphibian development and their general nature 89 Supplement, 333

NUHOUT, H. F. Cautery-induced colour patterns in Precis coenia (Lepidoptera: Nymphalidae) 86, 191

NISHIZUKA, Y. See KIMATA, K.

NODA, S. Effects of cytochalasin B on the formation of previllous ridges and the appearance of long microvillous-like processes in the organ culture system of chick embryonic intestine 85, 47

NORRIS, M. L. See BARTON, S. C.

O'HIGGINS, P. See JOHNSON, D. R.

OHSHIMA, H. and KUBOTA, T. Cell surface changes during cleavage of newt eggs: scanning electron microscopic studies 85, 21-31

OSTER, G. F., MURRAY, J. D. and MAINI, P. K. A model for chondrogenic condensations in the developing limb: the role of extracellular matrix and cell tractions 89, 93

OVERTON, J. A. See MADDRELL, S. H. P.

OZAWA, M. See SATO, M.

PALEČEK, J., HABROVÁ, V., NEDVIDEK, J. and ROMANOVSKÝ, A. Dynamics of tubulin structures in Xenopus laevis oogenesis 87, 75

PARMENTIER, H. K. and TIMMERMANS, L. P. M. The differentiation of germ cells and gonads during the development of carp (Cyprinus carpio L.). A study with anti-carp sperm monoclonal antibodies 90, 13

PENNINGTON, J. E., RASTAN, S., ROELCKE, D. and FEIZI, T. Saccharide structures of the mouse embryo during the first eight days of development. Inferences from immunocytochemical studies using monoclonal antibodies in conjunction with glycosidases 90, 335

PICKERING, S. J. See CHISHOLM, J. C.

PICKERING, S. J. See FLEMING, S. J.

PICKERING, S. J. See MARO, B.

PINTO, L. See RAGHAVAN, K. V.

PONDER, B. A. J. See SCHMIDT, G. H.

PONDER, B. A. J., FESTING, M. F. W. and WILKINSON, M. M. An allelic difference determines reciprocal patterns of expression of binding sites for *Dolichos biflorus* lectin in inbred strains of mice 87, 229

PRATT, H. P. M. Membrane organization in the preimplantation mouse embryo 90, 101

QUARMBY, J. See WYLIE, C. C.

RAGHAVAN, K. v. and PINTO, L. The cell lineage of the muscles of the *Drosophila* head 85, 285 RAINERI, M. See FALUGI, C.

RASTAN, S. See PENNINGTON, J. E.

RASTAN, s. and ROBERTSON, E. J. X-chromosome deletions in embryo-derived (EK) cell lines associated with lack of X-chromosome inactivation 90, 379

RASTAN, S., THORPE, S. J., SCUDDER, P., BROWN, S., GOOI, H. C. and FELZI, T. Cell interactions in preimplantation embryos: evidence for involvement of saccharides of the poly-N-acetyl-lactosamine series 87, 115

REDI, C. A., GARAGNA, S., HILSCHER, B. and WINKING, H. The effects of some Robertsonian chromosome combinations on the seminiferous epithelium of the mouse 85, 1

REICHHART, J-M. See GRAU, Y.

RICKMANN, M., FAWCETT, J. w. and KEYNES, R. J. The migration of neural crest cells and the growth of motor axons through the rostral half of the chick somite 90, 437

ROBERTSON, E. J. See RASTAN, S.

ROBINSON, K. R. See TAYLOR, M. A.

ROELCKE, D. See PENNINGTON, J. E.

ROMANOVSKÝ, A. See PALEČEK, J.

ROONEY, P. See ARCHER, C. W.

ROSSANT, J. and CROY, B. A. Genetic identification of tissue of origin of cellular populations within the mouse placenta 86, 177

ROUGE, P. See GUALANDRIS, L.

ROWE, P. B. and KALAIZIS, A. Serine metabolism in rat embryos undergoing organogenesis 87, 137

RUTHERFORD, N. G. See COOK, G. M. W.

SAKAKURA, T. See KIMATA, K.

SALÓ, E. and BAGUÑλ, J. Cell movement in intact and regenerating planarians. Quantitation using chromosomal, nuclear and cytoplasmic markers 89, 57

SÁNCHEZ, E. R. and ERICKSON, R. P. Expression of the Tcp-1 locus of the mouse during early embryogenesis 89, 113

SÁNCHEZ, E. R., HAMMERBERG, C. and ERICKSON, R. P. Quantitation of two-dimensional gel proteins reveals unequal amounts of Tcp-1 gene products during mouse spermatogenesis but no correlation with transmission ratio distortion 89, 123

SÁNCHEZ-HERRERO, E. See CASANOVA, J.

SANSOM, A. See HINCHLIFFE, J. R.

SARGENT, T. D. See DAWID, I. B.

SATO, M., OZAWA, M., HAMADA, H., KASAI, M., TOKUNAGA, T. and MURAMATSU, T. Cell surface markers to monitor the process of visceral endoderm differentiation from embryonal carcinoma cells: identification of the stage sensitive to high concentrations of retinoic acid 88, 165

SATOH, N. Recent advances in our understanding of the temporal control of early embryonic development in amphibians 89 Supplement, 257

SATOH, N. See MITA-MIYAZAWA, I.

SATTELLE, D. B. See BLAGBURN, J. M.

SCHMIDT, G. H., GARBUTT, D. J., WILKINSON, M. M. and PONDER, B. A. J. Clonal analysis of intestinal crypt populations in mouse aggregation chimaeras 85, 121

SCHMIDT, G. H., WILKINSON, M. M. and PONDER, B. A. J. Detection and characterization of spatial pattern in chimaeric tissue 88, 219

SCHMIDT, W. See DOETSCHMAN, T. C.

SCUDDER, P. See RASTAN, S.

SHI, W-K., HOPKINS, B., THOMPSON, S., HEATH, J. K., LUKE, B. M. and GRAHAM, C. F. Synthesis of apolipoproteins, alphafoetoprotein, albumin and transferrin by the human foetal yolk sack and other foetal organs 85, 191

SHIH, J. See KELLER, R. E.

SHINAGAWA, A. Localization of the factors producing the periodic activities responsible for synchronous cleavage in *Xenopus* embryos 85, 33

SIRACUSA, G. See DE FELICI, M.

SLACK, J. M. W., CLEINE, J. H. and SMITH, J. C. Regional specificity of glycoconjugates in Xenopus and axolotl embryos 89 Supplement, 137

SLACK, J. M. W. See CLEINE, J. H.

SLACK, J. M. W. See DALE, L.

SLACK, J. M. W. See SMITH, J. C.

SMEDLEY, M. J. and STANISSTREET, M. Calcium and neurulation in mammalian embryos 89, 1

SMITH, J. C., DALE, L. and SLACK, J. M. W. Cell lineage labels and region-specific markers in the analysis of inductive interactions 89 Supplement, 317

SMITH, J. C. See DALE, L.

SMITH, J. C. See HEASMAN, J.

SMITH, J. C. See SLACK, J. M. W.

SMITH, L. D. See TAYLOR, M. A.

SMITH, L. J. Embryonic axis orientation in the mouse and its correlation with blastocyst relationships to the uterus. II. Relationships from 4½ to 9½ days 89, 15

SMITH, R. K. W. and JOHNSON, M. H. DNA replication and compaction in the cleaving embryo of the mouse 89, 133

SNAPE, A. See HEASMAN, J.

STAFFORD, C. A. See COOK, G. M. W.

STANISSTREET, M. See SMEDLEY, M. J.

STEFANINI, S., FARRACE, M. G. and ARGENTO, M. P. C. Differentiation of liver peroxisomes in the foetal and newborn rat. Cytochemistry of catalase and D-aminoacid oxidase 88, 151.

STEPHENS, P. J. See GOVIND, C. K.

STEPHENSON, D. A. and HORNBY, J. E. Gene expression at the pink-eyed dilution (p) locus in the mouse is confirmed to be pigment cell autonomous using recombinant embryonic skin grafts 87, 65

STERN, C. D., MANNING, s. and GILLESPIE, J. I. Fluid transport across the epiblast of the early chick embryo 88, 365

STICK, C. See HAUSEN, P.

STIRLING, R. V. and SUMMERBELL, D. The behaviour of growing axons invading developing chick wing buds with dorsoventral or anteroposterior axis reversed 85, 251.

SUGIYAMA, T. See TAKANO, J.

SUMMERBELL, D. See HONIG, L. S.

SUMMERBELL, D. See STIRLING, R. V.

SURANI, M. A. H. See BARTON, S. C.

SUTHERS, H. B. See BONNER, J. T.

SWANSON, G. J. Paths taken by sensory nerve fibres in aneural chick wing buds 86, 109

TAKANO, J. and SUGIYAMA, T. Genetic analysis of developmental mechanisms in hydra. XVI. Effect of food on budding and developmental gradients in a mutant strain L4 90, 123

TAYLOR, J. S. H. and GAZE, R. M. The effects of the fibre environment on the paths taken by regenerating optic nerve fibres in *Xenopus* 89, 383

TAYLOR, J. S. H., WILLSHAW, D. J. and GAZE, R. M. The distribution of fibres in the optic tract after contralateral translocation of an eye in Xenopus 85, 225.

TAYLOR, M. A., ROBINSON, K. R. and SMITH, L. D. Intracellular pH and ribosomal protein S6 phosphorylation: role in translational control in *Xenopus* oocytes 89 Supplement, 35

THIEBOLD, J. See GRAU, Y.

THIERY, J. P. See BOUCAUT, J. C.

THOMPSON, S. See SHI, W-K.

THORPE, S. J. See RASTAN, S.

TICKLE, C. See LEE, J.

TIMMERMANS, L. P. M. See PARMENTIER, H. K.

TOKUNAGA, T. See SATO, M.

TOMLINSON, A. The cellular dynamics of pattern formation in the eye of *Drosophila* 89, 313 TRUBY, P. R. Separation of wound healing from regeneration in the cockroach leg 85, 177

TUCKER, J. B. See DANE, P. J.

TUCKETT, F., LIM, L. and MORRISS-KAY, G. M. The ontogenesis of cranial neuromeres in the rat embryo. I. A scanning electron microscope and kinetic study 87, 215

TUCKETT, F. and MORRISS-KAY, G. M. The kinetic behaviour of the cranial neural epithelium during neurulation in the rat 85, 111

TUCKETT, F. and MORRISS-KAY, G. M. The ontogenesis of cranial neuromeres in the rat embryo. II.

A transmission electron microscope study 88, 231

TUCKETT, F. See MORRISS-KAY, G. M.

UYEKI, E. M. See NAKANISHI, S.

VAN DE KAMP, M. and HILFER, s. R. Cell proliferation in condensing scleral ectomesenchyme associated with the conjunctival papillae in the chick embryo 88, 25

VERNA, J-M. In vitro analysis of interactions between sensory neurons and skin: evidence for selective innervation of dermis and epidermis 86, 53

VOET, L. See KREFFT, M.

WAKAHARA, M. See AKITA, Y.

WANG, H. Y. See HAUSEN, P.

WARNER, A. E. The role of gap junctions in amphibian development 89 Supplement, 365

WARREN, P. D. See CHISHOLM, J. C.

WEBBER, J. A. See COOKE, J.

WEBER, M. See DUPRAT, A-M.

WEEKES, C. See HOLDER, N.

WEIJER, C. J. and DURSTON, A. J. Influence of cyclic AMP and hydrolysis products on cell type regulation in *Dictyostelium discoideum* 86, 19

WIEBOLD, J. L. and ANDERSON, G. B. Lethality of a tritiated amino acid in early mouse embryos 88, 209

WIGMORE, P. and HOLDER, N. Regeneration from isolated half limbs in the upper arm of the axolotl 89, 333

WILKINSON, M. M. See SCHMIDT, G. H.

WILKINSON, M. M. See PONDER, B. A. J.

WILLIAMS, K. L. See KREFFT, M.

WILLSHAW, D. J. See TAYLOR, J. S. H.

WILSON, D. J. and HINCHLIFFE, J. R. Experimental analysis of the role of the ZPA in the development of the wing buds of wingless (ws) mutant embryos 85, 271

WINKING, H. See REDI, C. A.

WINKLBAUER, R. and HAUSEN, P. Development of the lateral line system in Xenopus laevis. III.

Development of the supraorbital system in triploid embryos and larvae 88, 183

WINKLBAUER, R. and HAUSEN, P. Development of the lateral line system in Xenopus laevis. IV. Pattern formation in the supraorbital system 88, 193

WINKLES, J. A. See DAWID, I. B.

WYLIE, C. C. See HEASMAN, J.

WYLIE, C. C., BROWN, D., GODSAVE, S. F., QUARMBY, J. and HEASMAN, J. The cytoskeleton of Xenopus oocytes and its role in development 89 Supplement, 1

YAMADA, K. M. See BOUCAUT, J. C.

ZIMMERMAN, E. F. See BULLEIT, R. F.

Subject Index

Acetylcholinesterase (AChE)

activity distribution pattern in chick limb buds: FALUGI & RAINERI 86, 89

development in muscle cells isolated from ascidian embryos: MITA-MIYAZAWA, IKEGAMI & SATOH 87, 1

Acetylcholine

synthesis and storage in *Pleurodeles*embryo cultures: DUPRAT AND OTHERS
Supplement, 167

Actin

genes in Xenopus and their developmental control: GURDON, MOHUN, BRENNAN & CASCIO 89 Supplement, 125

role in development of *Xenopus*: wylie, brown, godsave, quarmby & Heasman **89 Supplement**, 1

Adhesion

molecules: evidence for role of saccharides in cell interactions: RASTAN, THORPE, SCUDDER, BROWN, GOOI & FEIZI 87, 115

of mouse primordial germ cells to follicular and Sertoli cells: DE FELICI & SIRACUSA 87, 87

(ADP-ribose) transferase

activity and chondrocytic differentiation in chick limb bud cells: NAKANISHI & UYEKI 85, 163

Adrenals

absence of sex vesicles consistent with XY sex chromosome makeup: HOGG & McLAREN 88, 327

Agglutin

allelic patterns of binding of *Dolichos* lectins in mice strains: PONDER, FESTING & WILKINSON 87, 229

Agouti

expression of mouse genes involved in pigment production: STEPHENSON & HORNBY 87, 65

Alphafoetoprotein

synthesis in human foetal yolk sack and organs: SHI, HOPKINS, THOMPSON, HEATH, LUKE & GRAHAM 85, 191

Ambystoma mexicanum

gastrula – normal fates and states of specification of different regions: CLEINE & SLACK 86, 247

hindlimb regeneration – effect of discontinuities in anterior-posterior axis: HOLDER & WEEKES 86, 283 monoclonal antibody to an epidermal marker: JONES 89 Supplement, 155 sperm – role of extragenic components in early axolotl development: MALACINSKI & BARONE 89 Supplement, 53

Amino acids

in rat embryos undergoing organogenesis:

ROWE & KALAIZIS 87, 137

lethality of tritiated leucine in early mouse embryos: WIEBOLD & ANDERSON 88, 209 transport in mouse blastocyst

compartments: MILLER & SCHULTZ 89, 149

CAMP

during limb cartilage differentiation in vitro: GAY & KOSHER 89, 159

Amphibia

embryo

cell lineage labels and region-specific markers: SMITH, DALE & SLACK 89 Supplement, 317

cell surface glycoconjugates and neural induction: GUALANDRIS, ROUGE & DUFRAT 86, 39

in vitro differentiation of neuronal precursor cells: DUPRAT, KAN, FOULQUIER & WEBER 86, 71

pigment granule accumulation around nuclei: KOBAYAKAWA 88, 293

inductive interactions in early development: NIEUWKOOP 89 Supplement, 335

information transfer during embryonic induction: GRUNZ 89 Supplement, 349 maturation promoting factors and cell cycle regulation: FORD 89 Supplement, 271

newt - cell surface changes during cleavage of eggs: OHSHIMA & KUBOTA 85, 21

role of gap junctions in development: WARNER 89 Supplement, 365

single cell analysis of commitment in early embryogenesis: HEASMAN, SNAPE, SMITH & WYLIE 89 Supplement, 297

Antibody

tissue specific, used to study mesoderm induction in *Xenopus*: DALE, SMITH & SLACK **89**, 289

to gap junctional protein in amphibian development: WARNER 89 Supplement,

Antigens

embryonic and differentiation in mouse embryo: PENNINGTON, RASTAN, ROELCKE & FEIZI 90, 335

on cell surface in mouse embryo may be oviducal factor: GAUNT 88, 55

reactivity of mouse teratocarcinomaderived stem cells: Damjanov, Damjanov & Andrews 86, 125

to carbohydrates of mouse embryos:
PENNINGTON, RASTAN, ROELCKE & FEIZI 90,
335

to membranous organelles in mouse early development: MARO, JOHNSON, PICKERING & LOUVARD 90, 287

to study visceral endoderm differentiation from EC cells: SATO AND OTHERS 88, 165 used to study cell interactions in preimplantation mouse embryos: RASTAN, THORPE, SCUDDER, BROWN, GOOI & FEIZI

87, 115

Aphidicolin
effects on DNA replication and
development of mouse embryos: SMITH &
JOHNSON 89, 133

Apical ectodermal ridge (AER)

effect on cell division quiescent mouse 3T3 cells in cocultures: BELL & McMACHLAN 86, 219

effects of retinoic acid on pattern formation in chick: LEE & TICKLE 90, 139 role in caudal fin morphogenesis in Zebra fish. DANE & TUCKER 87, 145

Apolipoprotein

synthesis in human foetal yolk sack and organs: SHI, HOPKINS, THOMPSON, HEATH, LUKE & GRAHAM 85, 191

Area centralis

in adult frog after premetamorphic eye rotation: DUNLOP & BEAZLEY 89, 159

Area opaca

of early chick blastoderms – developmental potencies: KHANER, MITRANI & EYAL-GILADI 89, 235

Ascidia

egg – proteins and mRNAs in isolated yellow crescents: JEFFERY 89, 275

acetylcholinesterase development in presumptive muscle cells: MITA-MIYAZAWA, IKEGAMI & SATOH 87, 1 formation of notochord: MIYAMOTO & CROWTHER 86. 1

Asymmetries

of mouse blastocysts on implantation: SMITH 89, 15 Autoradiography

of development of germ cells in polychaete: EMANUELSSON & ANEHUS 85, 151

of RNA synthesis in oogenesis of polychaete: EMANUELSSON 88, 249

Avian

embryo – origin of irideal striated muscle: NAKANO & NAKAMURA 88, 1

Axis

orientation in mouse embryos: smith 89, 15

Axolotl

egg – protein synthesis patterns: MEULER & MALACINSKI 89, 71

embryo – regional specificity of glycoconjugates: SLACK, CLEINE & SMITH 89 Supplement, 137

evidence for role of fibronectin in gastrulation: BOUCAUT AND OTHERS 89 Supplement, 211

gastrula – normal fates and states of specification of different regions: CLEINE & SLACK 86, 247

hindlimb regeneration – effect of discontinuities in anterior-posterior axis: HOLDER & WEEKES 86, 283

regeneration

from chimaeric limb stumps: MUNEOKA, HOLLER-DINSMORE & BRYANT 90, 1 from isolated half limbs in upper arm: WIGMORE & HOLDER 89, 333

sperm – role of extragenic components in early axolotl development: MALACINSKI & BARONE 89 Supplement, 53

Axonal guidance

and neural crest migration through chick somites: RICKMANN, FAWCETT & KEYNES 90, 437

for peripheral nerve in embryonic leech: KUWADA 86, 155 of regenerating retinotectal fibres in

Xenopus: FAWCETT 90, 233

Basal body

in oral development in *Stentor*: DE TERRA 87, 241, 249

Basal lamina

development in pupoid foetus (pf/pf)
mouse mutants: FISHER & KOLLAR 87, 47

Basement membrane

synthesis in mouse mammary glands by fat pad precursor cells: KIMATA, SAKAKURA, INAGUMA, KATO & NISHIZUKA 89, 243

Benzamide

effect on chondrocytic differentiation in chick limb bud cells: NAKANISHI & UYEKI 85, 163

Bithorax complex

spatial expression and Contrabithorax mutation in Drosophila: CASANOVA, SANCHEZ-HERRERO & MORATA 90, 179

Blabera craniifer

leg - cell division during intercalary regeneration: ANDERSON & FRENCH 90, 57

Blastema

formation during regeneration and wound healing in cockroach leg: TRUBY 85, 177 monoclonal antibodies to cells of newt regenerating limb: KINTNER & **BROCKES** 89, 37

Blastocyst

mouse

amino acid transport in compartments: MILLER & SCHULTZ 89, 149

axis orientation - correlation with relationship to uterine horn: SMITH 89, 15

developmental variability in expanding blastocysts and their ICMs: CHISHOLM, JOHNSON, WARREN, FLEMING & **PICKERING** 86, 311

reconstituted - development of extraembryonic tissues: BARTON, ADAMS, NORRIS & SURANI 90, 267

reconstitution technique to determine origin of tissues: ROSSANT & CROY 86,

regeneration of endoderm from primitive ectoderm: GARDNER 88, 303

Blastomere

changes in distribution of membranous organelles: MARO, JOHNSON, PICKERING & LOUVARD 90, 287

Xenopus laevis

isolation and axial body specification: COOKE 89 Supplement, 69

pattern specification in blastomere pairs: COOKE & WEBBER 88, 85

Blood islands

formation in vitro from embryonic stem cells: doetschman and others 87, 27

specification in early development of Xenopus: cooke 89 Supplement, 69

Brachydanio rerio (See Zebra fish)

human - synthesis of apolipoproteins and other proteins: SHI, HOPKINS, THOMPSON, HEATH, LUKE & GRAHAM 85, 191

tube closure in rat embryos: MORRISS-KAY & TUCKETT 88, 333

Bud

outgrowth in chick - effect of retinoic acid: LEE & TICKLE 90, 139

Budding

and developmental gradients in mutant strain of hydra: TAKANO & SUGIYAMA 90,

Calcium

and neurulation in mammalian embryos: SMEDLEY & STANISSTREET 89, 1

Calcium ionophore A 23187

information transfer during embryonic inductions in amphibia: GRUNZ 89 Supplement, 349

Carbohydrate

antigens used to study cell interactions in preimplantation mouse embryos: RASTAN, THORPE, SCUDDER, BROWN, GOOI & FEIZI 87, 115

structures and antigens of mouse embryo during first eight days: PENNINGTON, RASTAN, ROELCKE & FEIZI 90, 335

Carcinoma cells

embryonal - visceral endoderm differentiation: SATO AND OTHERS 88, 165

Cardiac actin

control of gene activity in Xenopus: GURDON, MOHUN, BRENNAN & CASCIO Supplement, 125

Carp (See Cyprinus carpio)

fate of larval chondrocytes during metamorphosis of epibranchial: ALBERCH, LEWBART & GALE 88, 71

morphogenesis in chick in vitro: ARCHER, ROONEY & COTTRILL 90, 33

prostaglandin synthesis during limb development in vitro: GAY & KOSHER

Catalase

in liver peroxisomes in foetal and newborn rat: Stefanini, farrace & argento 88, 151

Catecholamines

synthesis and storage in Pleurodeles embryo cultures: DUPRAT AND OTHERS 89 Supplement, 167

Cathepsin

role in proteolytic function of rat embryonic yolk sac: FREEMAN & BROWN 86, 271

Cautery

induced colour patterns in Precis coenia: NUHOUT 86, 191

cDNA cloning

subtractive, in Xenopus embryogenesis: DAWID AND OTHERS 89 Supplement, 113

induction by monovalent antibodies in germ cell culture: HO & BECHTOL 90, 211

in preimplantation embryos - role of saccharides: RASTAN, THORPE, SCUDDER, BROWN, GOOI & FEIZI 87, 115

role in vertebrate neurulation and relation to birth defects: GORDON 89 Supplement, 229

Cell-cell contact

role in maintenance of epithelial transport function in Rhodnius: MADDRELL & OVERTON 90, 409

Cell culture

of female germ cells of polychaete Ophryotrocha: EMANUELSSON & ANEHUS 85, 151

Cell cycle

and compaction in cleaving mouse embryos: SMITH & JOHNSON 89, 133 chromosome replication in early

development of Xenopus: LASKEY 89 Supplement, 285

developmental variability in expanding mouse blastocysts: CHISHOLM, JOHNSON, WARREN, FLEMING & PICKERING 86, 311

promoting factors: FORD 89 Supplement, 271 regulation in amphibia and maturation

Cell death

during development of fused embryos of Drosophila: MARTINEZ-ARIAS 87, 99

during formation of free digits in avian limb bud: HURLE, COLVEE & FERNANDEZ-TERAN 85, 239

Cell density

effect on cartilage morphogenesis in vitro: ARCHER, ROONEY & COTTRILL 90, 33

Cell determination

in amphibian embryo: GUALANDRIS, ROUGE & DUPRAT 86, 39 Cell distribution

in retinal ganglion cell layer of frogs after eye rotation: DUNLOP & BEAZLEY 89, 159

during intercalary regeneration in cockroach leg: ANDERSON & FRENCH 90,

during oral development in ciliate Stentor: DE TERRA 87, 249

stimulation in mouse 3T3 cells by coculture with chick limb: BELL & McMACHLAN 86,

Cell interaction

between mouse primordial germ cells and follicular and Sertoli cells: DE FELICI & SIRACUSA 87, 87

in preimplantation embryos - role of saccharides in adhesion: RASTAN, THORPE, SCUDDER, BROWN, GOOI & FEIZI 87, 115

Cell lineage

label to determine states of specification of regions of axoloti: CLEINE & SLACK 86.

of muscles of Drosophila head: RAGHAVAN & PINTO 85, 285

Cell markers

monoclonal antibodies to cells of regenerating newt limb: KINTNER & **BROCKES** 89, 37

Cell movement

during convergent extension in gastrulation of Xenopus: KELLER, DANILCHIK, GIMLICH & SHIH 89 Supplement, 185

evidence for role of fibronectin in amphibian gastrulation: BOUCAUT AND OTHERS 89 Supplement, 211

in intact and regenerating planarians: SALÓ & BAGUÑÀ 89, 57

Cell numbers

during neurulation in rat: TUCKETT & MORRISS-KAY 85, 111

Cell polarity

endocytotic system in mouse preimplantation embryos: FLEMING & **PICKERING** 89, 175

Cell proliferation

in scleral ectomesenchyme in chick embryos: VAN DE KAMP 88, 25

Cell rearrangements

during formation of ascidian notochord: MIYAMOTO & CROWTHER 86, 1

Cell shape

changes during ascidian notochord formation: MIYAMOTO & CROWTHER 86, 1

Cell surface

antigens to study visceral endoderm differentiation from EC cells: SATO AND OTHERS 88, 165

changes during cleavage of newt eggs: OHSHIMA & KUBOTA 85, 21

determinant in Dictyostelium discoideum: KREFFT, VOET, GREGG & WILLIAMS 88, 15

glycoconjugates and neural induction in amphibia: GUALANDRIS, ROUGE & **DUPRAT** 86, 39

Cell traction

role in chondrogenic condensations in developing limb: OSTER, MURRAY & MAINI 89, 93

Cell type

regulation – influence of cyclic AMP: WEIJER & DURSTON 86, 19

Cellular interaction

in early developing chick limbs: FALUGI & RAINERI 86, 89

Cellular contribution

to regeneration from chimaeric limb stumps in axolotl: MUNEOKA, HOLLER-DINSMORE & BRYANT 90, 1

Central nervous system

patterns of peanut agglutinin binding in grasshopper embryo: BURT & ANDERSON 90, 49

Characteristics

developmental of protein synthesis during urodele embryogenesis: MEULER & MALACINSKI 89, 71

Chemical messengers

pattern in early developing chick limbs: FALUGI & RAINERI 86, 89

Chick

chimaera – with quail used to study origin of irideal striated muscle: NAKANO & NAKAMURA 88, 1

cornea – acellular stroma inhibits melanogenesis of neural-crest-derived cells: CAMPBELL & BARD 86, 143 embryo

myogenic differentiation in wing mesenchyme in absence of somites: KENNY-MOBBS 90, 415

cartilage morphogenesis in vitro: ARCHER, ROONEY & COTTRILL 90, 33

cell proliferation in condensing scleral ectomesenchyme: VAN DE KAMP 88, 25

developmental potencies of area opaca and marginal zone areas: KHANER, MITRANI & EYAL-GILADI 89, 235

distribution of polarizing zone in the legbud: HINCHLIFFE & SANSOM 86, 169 effects of cytochalasin B on intestine in

organ culture: NODA 85, 47 fluid transport across epiblast: STERN,

MANNING & GILLESPIE 88, 365
migration of neural crest cells and

growth of motor axons: RICKMANN, FAWCETT & KEYNES 90, 437 muscle fibre types and innervation after

muscle fibre types and innervation after cervical spinal cord removal: LAING & LAMB 89, 209

protein synthetic patterns: LOVELL-BADGE, EVANS & BELLAIRS 85, 65

role of ZPA in development of wing buds in wingless mutants: WILSON & HINCHLIFFE 85, 271 selective innervation of dermis and skin: VERNA 86, 53

vascular regression during formation of free digits in avian limb bud: HURLE, COLVEE & FERNANDEZ-TERAN 85, 239

imb

coculture with mouse 3T3 cells: BELL & McMaCHLAN 86, 219

paths taken by sensory nerves in aneural chick wing buds: SWANSON 86, 109

limb bud

cholinergic system – distribution pattern of enzymes: Falugi & Raineri 86, 89 effect of benzamide on chondrocytic differentiation: Nakanishi & Uyeki 85,

oviduct

growth stimulation by androgens: GRAU, REICHHART & THIEBOLD 85, 81

wing

effects of retinoic acid on pattern formation: LEE & TICKLE 90, 139

wing bud

maps of strength of positional signalling activity: Honig & Summerbell. 87, 163 with dorsoventral or anteroposterior axis reversed – axon behaviour: STIRLING & SUMMERBELL 85, 251

Chimaera

chick-quail

used to investigate origin of irideal striated muscle: NAKANO & NAKAMURA 88, 1

used to study behaviour of growing axons in chick wing buds: STIRLING & SUMMERBELL 85, 251

in planarians – study of cell movement in regeneration: SALÓ & BAGUÑA 89, 57

mouse

clonal analysis of intestinal crypt populations: SCHMIDT, GARBUTT, WILKINSON & PONDER 85, 121

detection and analysis of spatial pattern: SCHMIDT, WILKINSON & PONDER 88, 219 regeneration from chimaeric limb stumps:

MUNEOKA, HOLLER-DINSMORE & BRYANT 90,

Choline acetyl transferase

changes in activity in *Pleurodeles* embryos:
DUPRAT AND OTHERS 89 Supplement, 167
Cholinergic system

activity distribution pattern of enzymes in chick limb buds: FALUGI & RAINERI 86, 89

Chondrocytes

differentiation in chick limb bud cells culture: NAKANISHI & UYEKI 85, 163

fate during metamorphosis of salamander epibranchials: ALBERCH, LEWBART & GALE 88, 71

Chondrogenesis

model – role of extracellular matrix and cell tractions: OSTER, MURRAY & MAINI 89, 93

prostaglandin synthesis in chick: GAY & KOSHER 89, 159

Chordamesoderm

induction in Xenopus embryos: GIMLICH 89 Supplement, 89

Chromosomal

marker to study cell movement in regenerating planarians: SALÓ & BAGUÑÀ 89, 57

Ciliate

basal body assembly and oral development in Stentor: DE TERRA 87, 249 inhibition of oral development in Stentor: DE TERRA 87, 241

Ciona intestinalis

embryo

acetylcholinesterase development in isolated muscle cells: MTTA-MIYAZAWA, IKEGAMI & SATOH 87, 1 formation of notochord: MIYAMOTO & CROWTHER 86. 1

Clathrin

changes in distribution during early development of mouse: MARO, JOHNSON, PICKERING & LOUVARD 90, 287

Cleavage

and gastrulation in marsupial frog: ELINSON & DEL PINO 90, 223

cell surface changes in newt eggs: OHSHIMA & KUBOTA 85, 21

factors responsible for synchrony in Xenopus embryos: SHINAGAWA 85, 33 regulation in first cell cycle in mouse

embryo: HOWLETT & BOLTON 87, 175

Clinostat

used to study pattern specification in Xenopus embryos: NEFF, MALACINSKI & CHUNG 89, 259

Clonal analysis

of requirement for trithorax gene in diversification of segments: INGHAM 89, 349

of X-chromosome inactivation and origin of germ line in mouse: GARDNER, LYON, EVANS & BURTENSHAW 88, 349

Clones

in intestinal crypt populations in mouse chimaeras: SCHMIDT, GARBUTT, WILKINSON & PONDER 85, 121

Cockroach (See Periplaneta americana) leg – cell division during intercalary regeneration: ANDERSON & FRENCH 90, 57

Colchicine

effect on ontogenesis of cranial neuromeres in rat embryo: TUCKETT & MORRISS-KAY 88, 231

Colour

patterns induced in *Precis coenia* by cautery: NUHOUT 86, 191

Commitment

of mouse blastocyst cells – developmental variability: chisholm, johnson, warren, fleming & pickering 86, 311

single cell analysis in early embryogenesis: HEASMAN, SNAPE, SMITH & WYLIE 89 Supplement, 297

Compaction

and DNA replication in cleaving mouse embryo: SMITH & JOHNSON 89, 133 role of cytoskeletal elements in mouse: JOHNSON & MARO 90, 311

Competence

inductive interactions in early amphibian development: NIEUWKOOP 89 Supplement, 335

Compound eye

cellular dynamics of pattern formation in Drosophila: TOMLINSON 89, 15

Computational embryology

theories of vertebrate neurulation and relation to birth defects: GORDON 89 Supplement, 229

Compute

measurement of shape – method applied to mouse vertebrae: JOHNSON AND OTHERS 90, 363

Concanavalin A

information transfer during embryonic inductions in amphibia: GRUNZ 89 Supplement, 349

Conceptus

mouse – axis orientation – correlation with relationship to uterine horn: sмггн 89, 15

Conjunctival papillae

cell proliferation in condensing scleral ectomesenchyme in chick: VAN DE KAMP 38, 25

Contrabithorax

and spatial expression of bithorax complex genes in *Drosophila*: casanova, sánchez-HERRERO & MORATA 90, 179 Convergent extension

during gastrulation of Xenopus: Keller, DANILCHIK, GIMLICH & SHIH 89 Supplement, 185

Cornea

chick – inhibition of melanogenesis by acellular stroma: CAMPBELL & BARD 86,

Cranial development

in rat embryo – SEM and kinetic study: TUCKETT, LIM & MORRISS-KAY 87, 215

role of microfilaments and effects of cytochalasin D: MORRISS-KAY & TUCKETT 88, 333

Cranial neuroepithelial cells

kinetic behaviour during neurulation in rat: TUCKETT & MORRISS-KAY 85, 111

Cranial neuromeres

ontogenesis in rat embryo: TUCKETT & MORRISS-KAY 88, 231

Critical point

in moult cycle of cockroach for wound healing and regeneration: TRUBY 85, 177

Culture

neuropore closure and spinal neural tube defects in rat embryo: copp 88, 39

of chick embryonic intestine – effects of cytochalasin B: NODA 85, 47 of rat embryos – effects of cathepsin

inhibitors on development: FREEMAN & BROWN 86, 271

Curly tail

in rat – neuropore closure and neural tube defects: COPP 88, 39

Cyclic activities

and synchronous cleavage in Xenopus embryos: SHINAGAWA 85, 33

Cyclic AMP

and cell type regulation in *Dictyostelium discoideum*: WEUER & DURSTON 86, 19 information transfer during embryonic inductions in amphibia: GRUNZ 89

Supplement, 349
Cynopus (Triturus) pyrrhogaster

cell surface changes during cleavage of eggs: OHSHIMA & KUBOTA 85, 21

Cyprinus carpio

differentiation of germ cells and gonads: PARMENTIER & TIMMERMANS 90, 13

Cytochalasin B

effects on previllous ridges in chick embryonic intestine: NODA 85, 47

Cytochalasin D

action at fertilization of mouse oocytes in vitro: NIEMIERKO & KOMAR 90, 171 effect on ontogenesis of cranial

neuromeres in rat embryo: TUCKETT & MORRISS-KAY 88, 231

effect on polarity in mouse blastomeres: JOHNSON & MARO 90, 311

role of microfilaments in rat cranial neurulation: MORRISS-KAY & TUCKETT 88, 333

Cytochemistry

of catalase and D-aminoacid oxidase: STEFANINI, FARRACE & ARGENTO 88, 151

Cytokeratin

monoclonal antibody recognizing filaments in mouse oocyte: LEHTONEN 90, 197 role in-development of *Xenopus*: WYLIE, BROWN, GODSAVE, QUARMBY & HEASMAN 89 Supplement, 1

Cytokinesis

in mouse oocyte – action of phorbol myristate acetate: NIEMIERKO & KOMAR 90, 171

Cytoplasmic cycle

and synchronous cleavage in *Xenopus* embryos: SHINAGAWA 85, 33

Cytoplasmic clock

and temporal control of early embryonic development in amphibians: SATOH 89 Supplement, 257

Cytoplasmic determinants

and developmental regulation of genes in Xenopus: GURDON, MOHUN, BRENNAN & CASCIO 89 Supplement, 125

in Xenopus development: wylie, brown, GODSAVE, QUARMBY & HEASMAN 89 Supplement, 1

Cytoplasmic flow

directional – during accumulation of pigment granules in Anura: KOBAYAKAWA 88, 293

Cytoplasmic localization

and chordamesoderm induction in frog embryo: GIMLICH 89 Supplement, 89

Cytoplasmic marker

to study cell movement in regenerating planarians: SALÓ & BAGUÑA 89, 57

Cytoskeletal actin

control of gene activity in Xenopus: GURDON, MOHUN, BRENNAN & CASCIO 89 Supplement, 125

Cytoskeleton

in maturation of *Xenopus* oocytes: HAUSEN, HUI, DREYER & STICK 89 Supplement, 17

monoclonal antibody recognizing cytokeratin-type filaments:

LEHTONEN 90, 197

oral development in *Stentor*: DE TERRA 87, 241, 249

role in development of *Xenopus* oocytes: WYLIE, BROWN, GODSAVE, QUARMBY & HEASMAN **89 Supplement**, 1 Cytostatic factor

and cell cycle regulation in amphibia: FORD 89 Supplement, 271

p-aminoacid oxidase

in liver peroxisomes in foetal and newborn rat: STEFANINI, FARRACE & ARGENTO 88, 151

Dark-field illumination

to study pigment granule accumulation around Anuran nuclei: KOBAYAKAWA 88, 293

Denervation

effect on sensory nerve fibre patterns: swanson 86, 109

Dermal-epidermal junction

in pupoid foetus mutant mice: FISHER & KOLLAR 87, 47

Descendent clones

in mouse chimaeric tissues: SCHMIDT, WILKINSON & PONDER 88, 219

Determination

inductive interactions in early amphibian development: NIEUWKOOP 89 Supplement, 335

single cell analysis of commitment in early embryogenesis: HEASMAN, SNAPE, SMITH & WYLIE 89 Supplement, 297

Dictyostelium discoideum

cell type regulation and cyclic AMP: WEUER & DURSTON 86, 19

monoclonal antibody used to distinguish prespore and prestalk cells: KREFFT, VOET, GREGG & WILLIAMS 88, 15

pH affects fruiting and slug orientation: BONNER, HAY, JOHN & SUTHERS 87, 207

Differential gene expression

in mouse embryos – genes involved in pigment production: STEPHENSON & HORNBY 87, 65

Digit

formation in avian limb bud: HURLE, COLVEE & FERNANDEZ-TERAN 85, 239

Discontinuities

effect on regeneration of axolotl hindlimbs: HOLDER & WEEKES 86, 283

DNA replication

and cell cycle regulation in amphibia: FORD 89 Supplement, 271

and chromatin assembly in early Xenopus: LASKEY 89 Supplement, 285

and compaction in cleaving mouse embryos: SMITH & JOHNSON 89, 133 and temporal control of early embryonic development in amphibians: SATOH 89 Supplement, 257

quantal replication cycle for tissue specific enzyme development: MITA-MIYAZAWA, IKEGAMI & SATOH 87, 1

DNA synthesis

and regulation in first cell cycle in mouse embryo: HOWLETT & BOLTON 87, 175 in cocultures of chick embryonic limb and mouse 3T3 cells: BELL & McMACHLAN 86,

Dolichos biflorus agglutinin

as marker in chimaeric intestinal crypt
populations: SCHMIDT, GARBUTT, WILKINSON
& PONDER 85, 121

used to detect spatial pattern in chimaeric tissues: SCHMIDT, WILKINSON & PONDER 88, 219

Dolichos biflorus lectin

allelic patterns of binding in inbred strains of mice: PONDER, FESTING & WILKINSON 87, 229

Dominant spotting (W) locus

expression of mouse genes involved in pigment production: STEPHENSON & HORNBY 87, 65

Dorsalization

analysis with cell lineage labels and regionspecific markers: SMITH, DALE & SLACK 89 Supplement, 317

Dorsal lip

excision and u.v. irradiation in Xenopus laevis: COOKE 88, 135

Dorsal root ganglia

selective innervation of chick dermis and epidermis: VERNA 86, 53

Drosophila melanogaster

cell lineage of muscles of head: RAGHAVAN & PINTO 85, 285

Contrabithorax and spatial expression of bithorax complex genes: CASANOVA, SÁNCHEZ-HERRERO & MORATA 90, 179

development of fused embryos: MARTINEZ-ARIAS 87, 99

eye - cellular dynamics of pattern formation: TOMLINSON 89, 313

origin of pattern duplications in segment polarity mutants: MARTINEZ-ARIAS & INGHAM 87, 129

Trithorax genes – clonal analysis of requirement in diversification of segments: INGHAM 89, 349

wing discs – pattern regulation in fragments which show variable wound healing: DALE & BOWNES 85, 95

Duck

embryo – vascular regression during formation of free digits in avian limb bud: HURLE, COLVEE & FERNANDEZ-TERAN 85, 241 Dugesia sp. (See Planaria)

Duplication

after grafting of tissue in chick wing bud: HONIG & SUMMERBELL 87, 163

Ectoderm

chick – protein synthetic patterns: LOVELL-BADGE, EVANS & BELLAIRS 85, 65

Ectomesenchyme

cell proliferation associated with conjunctival papillae in chick: VAN DE KAMP 88, 265

Egg

Xenopus laevis

effect of rotation on differentiation of germ cells: CLEINE & DIXON 90, 79 pattern specification in lateral halves: COOKE & WEBBER 88, 85, 113

Electron microscopy

of effects of cytochalasin B on chick embryonic intestine: NODA 85, 47 of pattern formation in eye of *Drosophila*: TOMLINSON 89, 15

Electrophysiological coupling

role in amphibian development: WARNER 89 Supplement, 365

Embryo-derived stem cells

X-chromosome deletions in mouse: RASTAN & ROBERTSON 90, 379

Embryonal carcinoma cells

visceral endoderm differentiation: SATO AND OTHERS 88, 165

Embryonic lineages

derived from mouse trophectodermal carcinoma stem cells: DAMJANOV, DAMJANOV & ANDREWS 86, 125

Embryonic stem cells (ES)

in vitro development of visceral yolk sac etc: DOETSCHMAN AND OTHERS 87, 27

Endocytosis

in mouse preimplantation embryos: FLEMING & PICKERING 89, 175

Endoderm

chick – protein synthetic patterns: LOVELL-BADGE, EVANS & BELLAIRS 85, 65 regeneration from primitive ectoderm in mouse: GARDNER 88, 303

Endo-β-galactosidase

used to study cell interactions in preimplantation mouse embryos: RASTAN, THORPE, SCUDDER, BROWN, GOOI & FEIZI 87, 115

Endoplasmic reticulum

changes in distribution during early development of mouse: MARO, JOHNSON, PICKERING & LOUVARD 90, 287 Endosomes

in mouse preimplantation embryos: FLEMING & PICKERING 89, 175

engrailed (en^{IO})

as cell lineage marker of muscles in head of Drosophila: RAGHAVAN & PINTO 85, 285

Epiblast

fluid transport in early chick embryo: STERN, MANNING & GILLESPIE 88, 365

Epibranchial

fate of larval chondrocytes in the salamander: Alberch, Lewbart & Gale 88, 71

Epidermal

keratins and gene expression in Xenopus embryogenesis: DAWID AND OTHERS 89 Supplement, 113

Epidermal/dermal recombinants

used to study differential expression of mouse pigment genes: STEPHENSON & HORNBY 87, 65

Epidermi

development in *Xenopus* – monoclonal antibody to an epidermal marker: JONES **89 Supplement**, 155

Epimucin

relationship to epidermal antigen in Xenopus: JONES 89 Supplement, 155

Epithelia

influence on palate shelf reorientation:
BULLEIT & ZIMMERMAN 88, 265
theories of vertebrate neurulation and
relation to birth defects: GORDON 89

Supplement, 229 Epithelial transport

in Malpighian tubule isolated cells in Rhodnius: MADDRELL & OVERTON 90, 409

Eulerian buckling

theories of vertebrate neurulation and relation to birth defects: GORDON 89 Supplement, 229

Eurycea bislineata

fate of larval chondrocytes during metamorphosis of epibranchial: ALBERCH, LEWBART & GALE 88, 71

Extracellular matrix

evidence for role of fibronectin in amphibian gastrulation: BOUCAUT AND OTHERS 89 Supplement, 211

induction of neural crest cells to form fibroblasts: CAMPBELL & BARD 86, 143

modulation during caudal fin morphogenesis in Zebra fish: DANE &

TUCKER 87, 145
role in chondrogenic condensations in developing limb: OSTER, MURRAY & MAINI 89, 93

Extraembryonic tissues

gynogenetic and parthenogenetic – development in mouse: BARTON, ADAMS, NORRIS & SURANI 90, 267

Extragenic effect

role in early amphibian pattern specification: MALACINSKI & BARONE 89 Supplement, 53

Eye

cellular dynamics of pattern formation in Drosophila: TOMLINSON 89, 15

rotation – cell distributions in retinal ganglion cell layer of frogs: DUNLOP & BEAZLEY 89, 159

translocation in *Xenopus* – distribution of fibres in optic tract: TAYLOR, WILLSHAW & GAZE 85, 225

Fate map

for axis orientation in mouse conceptus: SMITH 89, 15

for gastrulation in *Xenopus laevis*: KELLER, DANILCHIK, GIMLICH & SHIH **89**Supplement, 185

for Xenopus early development and body axial plan: COOKE 89 Supplement, 69 of different regions in the axolotl gastrula: CLEINE & SLACK 86, 247

Fate mapping

in Xenopus laevis blastomere pairs: COOKE & WEBBER 88, 85

Fat pad

precursor cells – synthesis of mouse mammary gland basement membrane: KIMATA, SAKAKURA, INAGUMA, KATO & NISHIZUKA 89, 243

Feedback model

for effect of cyclic AMP on cell type regulation: WEIJER & DURSTON 86, 19

Fertilization

action of phorbol myristate acetate in mouse oocytes in vitro: NIEMIERKO & KOMAR 90, 171

sequence and regulation of first cell cycle in mouse embryo: HOWLETT & BOLTON 87, 175

Fibre

interactions during regeneration of

Xenopus optic nerves: TAYLOR & GAZE 89,
383

pathways in optic tract after contralateral eye translocation in *Xenopus*: TAYLOR, WILLSHAW & GAZE **85**, 225

Fibronectin

and neural crest migration through chick somites: RICKMANN, FAWCETT & KEYNES 90, 437 evidence for role in amphibian gastrulation: BOUCAUT AND OTHERS 89 Supplement, 211

Filipin

distribution in membrane of preimplantation mouse embryo: PRATT 90, 101

Fin fold

morphogenesis in Zebra fish: DANE & TUCKER 87, 145

Finite element analysis

theories of vertebrate neurulation and relation to birth defects: GORDON 89 Supplement, 229

Fish (See Cyprinus carpio)

FLDx

and chordamesoderm development in Xenopus: GIMLICH 89 Supplement, 89 and early development in Xenopus: cooke 89 Supplement, 69

Fluid transport

across epiblast of early chick embryo: STERN, MANNING & GILLESPIE 88, 365

Fluorescein-lysine-dextran (FLDx)

used to study mechanism of convergent extension in *Xenopus*: Keller, danilchik, Gimlich & Shih 89 Supplement, 185

Follicular monolayers

adhesiveness of mouse primordial germ cells: DE FELICI & SIRACUSA 87, 87

Fourier transform

applied to measurement of mouse vertebral shape: JOHNSON AND OTHERS 90, 363

Frog (See Xenopus laevis)
(See Gastrotheca riobambae)

cell distribution in retinal ganglion after eye rotation: DUNLOP & BEAZLEY 89, 159

Fruiting

in Dictyostelium is affected by pH: BONNER, HAY, JOHN & SUTHERS 87, 207

fused-

development of *Drosophila* embryos: MARTINEZ-ARIAS 87, 99

G₁ phase

chromosome replication in early development of *Xenopus*: LASKEY 89 Supplement, 285

G₂ phase

chromosome replication in early development of *Xenopus*: LASKEY **89 Supplement**, 285

Gap junction

role in amphibian development: WARNER 89 Supplement, 365

Gastrotheca riobambae

cleavage and gastrulation: ELINSON & DEL PINO 90, 223

Gastrula

axolotl – normal fates and states of specification of different regions: CLEINE & SLACK 86, 247

Gastrulation

after u.v. irradiation of *Xenopus* egg: COOKE 88, 135

and cleavage in marsupial frog: ELINSON & DEL PINO 90, 223

evidence for role of fibronectin: BOUCAUT
AND OTHERS 89 Supplement, 211

pattern specification in Xenopus laevis blastomere pairs: cooke & webber 88, 85

pattern specification in Xenopus laevis lateral halves: COOKE & WEBBER 88, 113

Xenopus laevis – function and mechanism of convergent extension: KELLER, DANILCHIK, GIMLICH & SHIH 89 Supplement, 185

Gene

expression in *Xenopus* embryogenesis:
DAWID AND OTHERS 89 Supplement, 113

Genetic markers

to identify origin of tissues in mouse placenta: ROSSANT & CROY 86, 177

Genetic polymorphism

in binding of *Dolichos* lectin in mice:

PONDER, FESTING & WILKINSON 87, 229

Germ cells

absence of sex vesicles consistent with XY sex chromosome makeup: HOGG & McLAREN 88, 327

differentiation in development of carp (Cyprinus carpio): PARMENTIER & TIMMERMANS 90, 13

induction of cell-cell adhesion in mouse culture: HO & BECHTOL 90, 211

in polychaete *Ophryotrocha*: EMANUELSSON & ANEHUS **85**, 151

Germinal vesicle

in maturation of *Xenopus* oocytes: HAUSEN, WANG, DREYER & STICK 89 Supplement, 17

Germ line

origin in the mouse embryo: GARDNER, LYON, EVANS & BURTENSHAW 88, 349

Germ plasm

correlation with the number of primordial germ cells in *Xenopus*: AKITA & WAKAHARA 90, 251

effect of egg rotation in Xenopus laevis: CLEINE & DIXON 90, 79

origin in Xenopus development: wylie, brown, godsave, quarmby & heasman 89 Supplement, 1

Globin mRNA

role in translational control in Xenopus oocytes: TAYLOR, ROBINSON & SMITH 89 Supplement, 35

Glycocenjugates

cell surface and neural induction in amphibia: GUALANDRIS, ROUGE & DUPRAT 86, 39

Glycolipids

regional specificity in *Xenopus* and axolotl embryos: SLACK, CLEINE & SMITH 89 Supplement, 137

Glycoprotein

regional specificity in *Xenopus* and axolotl embryos: SLACK, CLEINE & SMITH 89 Supplement, 137

synthesis in different regions of axolotl gastrula: CLEINE & SLACK 86, 247

synthesis, storage and secretion of transferrin in mouse tissues: MEEK & ADAMSON 86, 205

Glycosidase

to study saccharide structures of mouse embryo during development: PENNINGTON, RASTAN, ROELCKE & FEIZI 90, 335

Glycosyltransferases

allelic patterns of binding of *Dolichos* lectins in mice strains: PONDER, FESTING & WILKINSON 87, 229

Golgi

changes in distribution during early development of mouse: MARO, JOHNSON, PICKERING & LOUVARD 90, 287

Gonadogenesis

in carp (Cyprinus carpio): PARMENTIER & TIMMERMANS 90, 13

Gradient

and developmental control of actin genes in *Xenopus*: GURDON, MOHUN, BRENNAN & CASCIO **89 Supplement**, 125

developmental

and budding in mutant strain of hydra: TAKANO & SUGIYAMA 90, 123

in mesoderm induction in Xenopus: DALE, SMITH & SLACK 89, 289

of pH affects fruiting and slug orientation in *Dictyostelium*: BONNER, HAY, JOHN & SUTHERS 87, 207

Graft

regeneration from isolated half limbs of axolotl: WIGMORE & HOLDER 89, 333

Grasshopper

patterns of peanut agglutinin binding in developing CNS: BURT & ANDERSON 90, 49

Gravity

reorientation and axial body plan specification: cooke 89 Supplement, 69 simulation used to study pattern

specification in Xenopus embryos: NEFF, MALACINSKI & CHUNG 89, 259

Grieg-Smith

analysis of variance applied to mouse chimaeric tissues: SCHMIDT, WILKINSON & PONDER 88, 219

Growth cone

of leech dorsal peripheral neuron: KUWADA 86, 155

Growth stimulation

of immature chick oviduct by androgens: GRAU, REICHHART & THIEBOLD 85, 81

Gut

human – synthesis of apolipoproteins and other proteins: shi, hopkins, thompson, HEATH, LUKE & GRAHAM 85, 191

Gynogenone

mouse – development of inner cell mass and trophectoderm tissues: BARTON, ADAMS, NORRIS & SURANI 90, 267

Haementaria ghilianii (See Leech)

Heleiopous eyrei

cell distribution in retinal ganglion after eye rotation: DUNLOP & BEAZLEY 89, 159

Homarus americanus

polyneuronal innervation of adult and embryonic muscle: GOVIND, STEPHENS & EISEN 87, 13

Homoeotic genes

of Drosophila: segment polarity mutants: MARTINEZ-ARIAS & INGHAM 87, 129

Homoeotic transformation

produced by the Contrabithorax in Drosophila: CASANOVA, SANCHEZ-HERRERO & MORATA 90, 179

role of trithorax gene in segment diversification in Drosophila: INGHAM 89, 349

Human

embryo – synthesis of apolipoproteins and other proteins by yolk sack: SHI, HOPKINS, THOMPSON, HEATH, LUKE & GRAHAM 85, 191

Hydra magnipapillata

budding and developmental gradients: TAKANO & SUGIYAMA 90, 123

Hydrolysis products

of cyclic AMP – influence on cell type regulation: WEHER & DURSTON 86, 19

Hyla arborea

pigment accumulation around nuclei: KOBAYAKAWA 88, 293 Hypoblast

of early chick blastoderms – developmental potencies: KHANER, MITRANI & EYAL-GILADI 89, 235

Imaginal discs

pattern formation in fragments which show variable wound healing: DALE & BOWNES 85, 95

Immunocytochemical study

in vitro differentiation of neuronal precursor cells: DUPRAT, KAN, FOULQUIER & WEBER 86, 71

of saccharide structures of mouse embryo during development: PENNINGTON, RASTAN, ROELCKE & FEIZI 90, 335

Immunoelectron microscopy

study of cytokeratin-type filaments in mouse oocyte: LEHTONEN 90, 197

Immunohistochemistry

used to study carp germ cell differentiation: PARMENTIER & TIMMERMANS 90, 13

Immunosurgery

regeneration of endoderm from primitive ectoderm in mouse: GARDNER 88, 303

Implantation

of pre- and early-primitive-stage mouse embryos: BEDDINGTON 88, 281

Inactivation centre

deletions in embryo-derived cell lines in mouse: RASTAN & ROBERTSON 90, 379

Inactivation X-chromosome

and origin of germ line in mouse embryo: GARDNER, LYON, EVANS & BURTENSHAW 88, 349

Inbred mice

allelic patterns of binding of *Dolichos* lectin in tissues: PONDER, FESTING & WILKINSON 87, 229

Induction

and developmental control of actin genes in Xenopus: GURDON, MOHUN, BRENNAN & CASCIO 89 Supplement, 125

cell lineage labels and region-specific markers: SMITH, DALE & SLACK 89 Supplement, 317

developmental potencies of chick area opaca and marginal zone: KHANER, MITRANI & EYAL-GILADI 89, 235

in axolotl and Xenopus embryos – synthesis of glycoconjugates: SLACK, CLEINE & SMITH 89 Supplement, 137

in early amphibian development: NIEUWKOOP 89 Supplement, 335

information transfer during embryonic inductions in amphibia: GRUNZ 89 Supplement, 349 mesoderm – role of gap junctions: WARNER 89 Supplement, 365

neural – role of gap junctions: WARNER 89 Supplement, 365

of mesoderm in Xenopus laevis: DALE, SMITH & SLACK 89, 289

of neural structures in *Pleurodeles waltl*:
DUPRAT AND OTHERS **89 Supplement**, 167
single cell analysis of commitment in early

single cell analysis of commitment in early embryogenesis: HEASMAN, SNAPE, SMITH & WYLLE 89 Supplement, 297

Inductive interaction

cell lineage labels and region-specific markers: SMITH, DALE & SLACK 89 Supplement, 317

in early amphibian development: NIEUWKOOP 89 Supplement, 335

Inner cell mass (ICM) mouse

> developmental variability and in expanding biastocysts: chisholm, johnson, Warren, fleming & Pickering 86, 311

gynogenetic and parthenogenetic development: Barton, Adams, Norris & Surani 90, 267

membrane organization in preimplantation embryos: PRATT 90, 101

Innervation

and muscle fibre types in chick after spinal cord removal: LAING & LAMB 89, 209 of chick dermis and epidermis: VERNA 86,

of chick wing bud with axes reversed: STIRLING & SUMMERBELL 85, 251 polyneuronal in adult and embryonic lobster muscles: GOVIND, STEPHENS & EISEN 87, 13

Invect

leg regeneration and wound healing: TRUBY 85, 177

synaptogenesis between sensory neurones and giant interneurones: BLAGBURN, BEADLE & SATTELLE 86, 227

Intercalary

regeneration in cockroach leg: ANDERSON & FRENCH 90, 57

Intermediate filaments

during caudal fin morphogenesis in Zebra fish: DANE & TUCKER 87, 145

Interneurones

giant in the cockroach - synaptogenesis: BLAGBURN, BEADLE & SATTELLE 86, 227

Intestine

effects of cytochalasin B on previllous ridges in chick embryo: NODA 85, 47

Intestinal crypts

analysis of spatial pattern in mouse chimaeric tissues: SCHMIDT, WILKINSON & PONDER 88, 219

in mouse aggregation chimaeras: SCHMIDT, GARBUTT, WILKINSON & PONDER 85, 121

Intracellular

pH – role in translational control in Xenopus oocytes: TAYLOR, ROBINSON & SMITH 89 Supplement, 35

In vitro

culture of rat embryos – serine
metabolism: ROWE & KALAIZIS 87, 137
development of mouse blastocyst-derived
embryonic stem cell lines: DOETSCHMAN
AND OTHERS 87, 27

Iris

origin of striated muscle in birds: NAKANO & NAKAMURA 88, 1

Karyokinesis

in mouse oocyte – action of phorbol myristate acetate: NIEMIERKO & KOMAR 90, 171

Keratan sulphate

mesoderm induction in Xenopus: DALE, SMITH & SLACK 89, 289

Keratin

epidermal, and gene expression in *Xenopus* embryogenesis: DAWID AND OTHERS 89 Supplement, 113

mesoderm induction in *Xenopus*: DALE, SMITH & SLACK **89**, 289

Kinetics

of amino acid transport in mouse blastocyst compartments: MILLER & SCHULTZ 89, 209

Laminin

and neural crest migration through chick somites: RICKMANN, FAWCETT & KEYNES 90, 437

in developing mouse mammary gland: KIMATA, SAKAKURA, INAGUMA, KATO & NISHIZUKA 89, 243

Lamin L III

distribution during maturation of Xenopus oocyte: HAUSEN, WANG, DREYER & STICK 89 Supplement, 17

Lateral halves

Xenopus laevis – pattern specification in isolates: COOKE & WEBBER 88, 113

Lateral line system

development of supraorbital system in Xenopus laevis embryos: WINKLBAUER & HAUSEN 88, 183 pattern formation in supraorbital system in Xenopus embryos: WINKLBAUER & HAUSEN 88, 193

Lectin

allelic patterns of binding of *Dolichos*lectins in mice strains: PONDER, FESTING &
WILKINSON 87, 229

regional binding patterns in Xenopus and axolotl: SLACK, CLEINE & SMITH 89 Supplement, 137

target cell surface glycoconjugates in amphibia: GUALANDRIS, ROUGE & DUPRAT 86, 39

Leech

embryo - pioneering and pathfinding by an identified neuron: KUWADA 86, 155

Legbud

distribution of ZPA in the legbud of chick embryo: HINCHLIFFE & SANSOM 86, 169

Leg regeneration

and wound healing in the cockroach: TRUBY 85, 177

Lepidoptera

cautery-induced colour patterns in Precis coenia: NUHOUT 86, 191

Leucine

lethality of tritiated leucine in early mouse embryos: WIEBOLD & ANDERSON 88, 209

Limb

model for chondrogenic condensations: OSTER, MURRAY & MAINI 89, 93 regeneration

from chimaeric limb stumps in axolotl: MUNEOKA, HOLLER-DINSMORE & BRYANT 90, 1

in upper arm of the axolotl: WIGMORE & HOLDER 89, 333

-somite myogenesis in chick embryo: KENNY-MOBBS 90, 415

Limb bud

chick

cholinergic system – distribution pattern of enzymes: FALUGI & RAINERI 86, 89 effect of benzamide on chondrocytic differentiation: NAKANISHI & UYEKI 85, 163

mesenchyme – morphogenesis in chick in vitro: ARCHER, ROONEY & COTTRILL 90, 33

Limb development

comparative study of chick and duck embryos: HURLE, COLVEE & FERNANDEZ-TERAN 85, 239

distribution of ZPA in the legbud of chick embryo: HINCHLIFFE & SANSOM 86, 169

effects of retinoic acid on pattern formation in chick: LEE & TICKLE 90, 139 in chick - prostaglandin synthesis: GAY & KOSHER 89, 159

role of ZPA in development of wing buds in wingless mutant chicks: WILSON & HINCHLIFFE 85, 271

Limnodynastes dorsalis

cell distribution in retinal ganglion after eye rotation: DUNLOP & BEAZLEY 89, 159

Lineage labelling

to study mesoderm induction in Xenopus laevis: DALE, SMITH & SLACK 89, 289

Liver

human – synthesis of apolipoproteins and other proteins: SHI, HOPKINS, THOMPSON, HEATH, LUKE & GRAHAM 85, 191

mouse – synthesis, storage and secretion of transferrin: MEEK & ADAMSON 86, 205 peroxisomes in foetal and newborn rat:

STEFANINI, FARRACE & ARGENTO 88, 151

Lobster

polyneuronal innervation of adult and embryonic muscle: GOVIND, STEPHENS & EISEN 87, 13

Locust

sensory neurons – development of projections and connections from transplantations: ANDERSON 85, 207

Lucifer Yellow

used to study role of gap junctions in amphibian development: WARNER 89 Supplement, 365

Lysosomes

changes in distribution during early development of mouse: MARO, JOHNSON, PICKERING & LOUVARD 90, 287 in mouse preimplantation embryos: FLEMING & PICKERING 89, 175

Mammary gland

mouse, synthesis of basement membrane by fat pad precursor cells: KIMATA, SAKAKURA, INAGUMA, KATO & NISHIZUKA 89, 243

Marginal zone

movement during convergent extension in Xenopus gastrulation: KELLER, DANILCHIK, GIMLICH & SHIH 89 Supplement, 185

of early chick blastoderms – developmental potencies: KHANER, MITRANI & EYAL-GILADI 89, 235

Markers

chromosomal, nuclear and cytoplasmic in regenerating planarians: saló & BAGUÑÀ 89.57

used to study differentiation of amphibian neuronal cells: DUPRAT, KAN, FOULQUIER & WEBER 86, 71 Marsupial frog

cleavage and gastrulation: ELINSON & DEL PINO 90, 223

Maternal effect

role in early amphibian pattern specification: MALACINSKI & BARONE 89 Supplement, 53

Maturation

of Xenopus oocyte – distribution of nuclear proteins: HAUSEN, WANG, DREYER & STICK 89 Supplement, 17

Maturation promoting factor (MPF)

and cell cycle regulation in amphibia: FORD 89 Supplement, 271

and temporal control of early embryonic development in amphibians: SATOH 89 Supplement, 257

chromosome replication in early development of *Xenopus*: LASKEY 89 Supplement, 285

effect on ribosomal protein phosphorylation in *Xenopus* oocyte: TAYLOR, ROBINSON & SAITH 89 Supplement, 35

Meiosis

absence of sex vesicles consistent with XY sex chromosome makeup: HOGG & McLAREN 88, 327

and cell cycle regulation in amphibia: FORD 89 Supplement, 271

Melanogenesis

of neural-crest-derived cells inhibited in chick cornea cultures: CAMPBELL & BARD 86, 143

Membrane

organization in preimplantation mouse embryo: PRATT 90, 101

Mesenchyme

myogenesis in chick wing bud absence of brachial somites: KENNY-MOBBS 90, 415 participation in the developing mouse mammary gland: KIMATA, SAKAKURA,

INAGUMA, KATO & NISHIZUKA 89, 243
Mesoderm

formation in Xenopus and convergent extension during gastrulation: KELLER, DANILCHIK, GIMLICH & SHIH 89 Supplement, 185

induction – studied with cell lineage label and antibodies: DALE, SMITH & SLACK 89, 780

induction in Xenopus embryos: GIMLICH 89
Supplement, 89

induction – use of cell lineage label and region-specific markers: SMITH, DALE & SLACK 89 Supplement, 317 induction and information transfer in amphibia: GRUNZ 89 Supplement, 349

Metamorphosis

of epibranchial in salamander: ALBERCH, LEWBART & GALE 88, 71

Methionine

uptake in mouse blastocyst compartments:
MILLER & SCHULTZ 89, 149

Microfilaments

role in cranial neurulation in rat embryos: MORRISS-KAY & TUCKETT 88, 333

role in surface polarity of mouse blastomeres: JOHNSON & MARO 90, 311 role in vertebrate neurulation and relation

to birth defects: GORDON 89 Supplement, 229

Microsurgery

regeneration of endoderm from primitive ectoderm in mouse: GARDNER 88, 303

Microtubul

cell adhesiveness – role in vertebrate neurulation: GORDON 89 Supplement, 229

role in surface polarity of mouse blastomeres: Johnson & Maro 90, 311

Microvillous-like processes

in chick embryonic intestine cultures: NODA 85, 47

Midblastula transition (MBT)

onset of gene activity: DAWID AND OTHERS 89 Supplement, 113

Mitochondrial

RNA synthesis in Xenopus embryogenesis: DAWID AND OTHERS 89 Supplement, 113

Mitosis

and cell cycle regulation in amphibia: FORD 89 Supplement, 271

chromosome replication in early development of *Xenopus*: LASKEY 89 Supplement, 285

during ontogenesis of rat embryonic cranial neuromeres: TUCKETT, LIM & MORRISS-KAY 87, 75

in cranial neural epithelium of rat: TUCKETT & MORRISS-KAY 85, 111

Model

for chondrogenic condensations in the developing limb: OSTER, MURRAY & MAINI 89, 93

of pattern formation during regeneration in cockroach leg: ANDERSON & FRENCH 90,

Molecular embryology

in vitro differentiation of neuronal precursor cells: DUPRAT, KAN, FOULQUIER & WEBER 86, 71

Monoclonal antibodies

against mouse oocyte cytoskeleton: LEHTONEN 90, 197

induction of cell-cell adhesion in germ cell culture: HO & BECHTOL 90, 211

recognizing cell surface determinant in Dictyostelium discoideum: KREFFT, VOET, GREGG & WILLIAMS 88, 15

regional binding patterns in Xenopus and axolotl: SLACK, CLEINE & SMITH 89
Supplement, 137

study of inductive interactions in amphibia: SMITH, DALE & SLACK 89 Supplement, 317

to an epidermal marker in Xenopus: JONES 89 Supplement, 155

to carp sperm – used to study germ cell differentiation: PARMENTIER & TIMMERMANS 90, 13

to cells of a regenerating newt limb: KINTNER & BROCKES 89, 37

to study saccharide structures of mouse embryo during development: PENNINGTON, RASTAN, ROELCKE & FEIZI 90, 335

used to study dynamics of tubulin structures in *Xenopus* oogenesis: PALEČEK, HABROVÁ, NEDVÍDEK & ROMANOVSKÝ 87, 75

Monovalent antibody

to fibronectin – arrests gastrulation in amphibia: BOUCAUT AND OTHERS 89 Supplement, 211

Morula

mouse – cytoskeleton and polarization: JOHNSON & MARO 90, 311

Motoneurons

in chick after cervical spinal cord removal: LAING & LAMB 89, 209

polyneuronal innervation of adult and embryonic lobster muscle: GOVIND, STEPHENS & EISEN 87, 13

Motor axons

in chick wing buds with axes reversed: STIRLING & SUMMERBELL 85, 253

Mouse

adult – synthesis, storage and secretion of transferrin: MEEK & ADAMSON 86, 205 blastocyst

and ICMs – developmental variability: CHISHOLM, JOHNSON, WARREN, FLEMING & PICKERING 86, 311

regeneration of endoderm from primitive ectoderm: GARDNER 88, 303

blastomeres – role of cytoskeletal elements in surface polarity: 20HNSON & MARO 90, 311 chimaera

clonal analysis of intestinal crypt populations: SCHMIDT, GARBUTT, WILKINSON & PONDER 85, 121

detection and analysis of spatial pattern: schmidt, wilkinson & Ponder 88, 219

early development – distribution of membranous organelles: MARO, JOHNSON, PICKERING & LOUVARD 90, 287

embryo

abnormal development in pupoid foetus (pf/pf) mutants: FISHER & KOLLAR 87, 47

absence of sex vesicles consistent with XY sex chromosome makeup: Hogg & McLAREN 88, 327

amino acid transport in blastocyst compartments: MILLER & SCHULTZ 89, 149

axis orientation – correlation with relationship to uterine horn: SMITH 89, 15

cell interactions – role of saccharides in cell adhesion: RASTAN, THORPE, SCUDDER, BROWN, GOOI & FEIZI 87, 115

clonal analysis of X-chromosome inactivation and origin of germ line: GARDNER, LYON, EVANS & BURTENSHAW 88, 349

DNA replication and compaction: SMITH & JOHNSON 89, 133

effects of some Robertsonian chromosome combinations: REDI, GARAGNA, HILSCHER & WINKING 85, 1

endocytotic system in outside blastomeres: FLEMING & PICKERING 89,

expression of genes involved in pigment production: STEPHENSON & HORNBY 87, 65

expression of the Tcp-1 locus: Sanchez & ERICKSON 89, 113

genetical identification of tissues within placenta: ROSSANT & CROY 86, 177

influence of epithelium on palate shelf reorientation: BULLEIT & ZIMMERMAN 88, 265

in vitro development of blastocystderived embryonic stem cell lines: DOETSCHMAN AND OTHERS 87, 27

lethality of a tritiated amino acid: WIEBOLD & ANDERSON 88, 209

membrane organization in the preimplantation embryo: PRATT 90, 101

neuropore closure and spinal neural tube defects: COPP 88, 39 saccharide structures during first eight days of development: PENNINGTON, RASTAN, ROELCKE & FEIZI 90, 335

sequence and regulation of the first cell cycle: HOWLETT & BOLTON 87, 175

synthesis, storage and secretion of transferrin: MEEK & ADAMSON 86, 205

teratocarcinoma antigen on cell surface: GAUNT 88, 55

transplantation of pre- and earlyprimitive-streak stages: BEDDINGTON 88, 281

utilization of cytoplasmic poly(A)⁺RNA for protein synthesis: KIDDER & CONLON 89, 223

X-chromosome deletions in embryoderived cell lines: RASTAN & ROBERTSON 90, 379

extraembryonic tissues – gynogenetic and parthenogenetic from reconstituted blastocysts: BARTON, ADAMS, NORRIS & SURANI 90, 267

germ cells – induction of cell-cell adhesion by monovalent antibodies: но & веснтол 90, 211

inbred strains – allelic patterns of binding of *Dolichos* lectin in tissues: PONDER, FESTING & WILKINSON 87, 229

mammary gland – synthesis of basement membrane by fat pad precursor cells: KIMATA, SAKAKURA, INAGUMA, KATO & NISHIZUKA 89, 243

oocyte

action of phorbol myristate acetate at fertilization in vitro: NIEMIERKO & KOMAR 90, 171

monoclonal antibody recognizing cytokeratin-type filaments: LEHTONEN 90, 197

primordial germ cells adhesiveness to follicular and Sertoli cell monolayers: DE FELICI & SIRACUSA 87, 87

spermatogenesis – Tcp-1 gene products: SANCHEZ, HAMMERBERG & ERICKSON 89, 123

3T3 cells - coculture with embryonic chick limb tissue: BELL & McMACHLAN 86, 219

trophectodermal carcinoma –
differentiation into trophoblastic and
yolk sac elements: DAMJANOV, DAMJANOV
& ANDREWS 86, 125

vertebrae – measurement of biological shape: JOHNSON AND OTHERS 90, 363 MPF (See Maturation promoting factor) Muscle

cell lineage in *Drosophila* head: RAGHAVAN & PINTO 85, 285

fibre types and innervation after spinal cord removal in chick: LAING & LAMB 89, 209

lineage cells – isolated from ascidian embryos: MITA-MIYAZAWA, IKEGAMI & SATOH 87, 1

polyneuronal innervation in adult and embryonic lobsters: GOVIND, STEPHENS & EISEN 87, 13

regeneration in upper arm of the axolotl: WIGMORE & HOLDER 89, 333

striated – origin of iris cells in birds: NAKANO & NAKAMURA 88, 1

Mutation

curly tail – neuropore closure and neural tube defects in rat: copp 88, 39 engrailed (en^{IO}) in Drosophila: RAGHAVAN &

PINTO 85, 285

fused – in Drosophila melanogaster: MARTINEZ-ARIAS 87, 99

pupoid foetus (pf/pf) – abnormal skin development in mice: FISHER & KOLLAR 87, 47

segment polarity of *Drosophila* melanogaster: MARTINEZ-ARIAS & INGHAM 87, 129

trithorax – role in diversification of segments in Drosophila: INGHAM 89, 349

wingless (ws) - role of ZPA in development of wing buds in chick embryos: WILSON & HINCHLIFFE 85, 271

formation in vitro from embryonic stem cells: DOETSCHMAN AND OTHERS 87, 25

Myogenesis

Myocardium

in chick wing mesenchyme in absence of brachial somites: KENNY-MOBBS 90, 415

Myoplasm

proteins and mRNAs in isolated ascidian yellow crescents: JEFFERY 89, 275

Nerve

patterns in aneural chick wing buds: swanson 86, 109

Neural crest

differentiation in cultured chick cornea: CAMPBELL & BARD 86, 143

migration and growth of motor axons in chick somite: RICKMANN, FAWCETT & KEYNES 90, 437

origin of striated muscle in birds: NAKANO & NAKAMURA 88, 1

Neural induction

and information transfer in amphibia: GRUNZ 89 Supplement, 349

and target cell surface glycoconjugates in amphibia: GUALANDRIS, ROUGE & DUPRAT 86, 39

embryonic determination in Pleurodeles walt!: DUPRAT AND OTHERS 89 Supplement, 167

use of cell lineage label and region-specific markers: SMITH, DALE & SLACK 89 Supplement, 317

Neural plate

theories of vertebrate neurulation and relation to birth defects: GORDON 89 Supplement, 229

Neural tube

defects and neuropore closure in rat embryos: copp 88, 39

defects in vertebrates and theories of neurulation: GORDON 89 Supplement, 229

kinetic behaviour during neurulation in rat: TUCKETT & MORRISS-KAY 85, 111

malformations – role of calcium: SMEDLEY & STANISSTREET 89, 1

ontogenesis in rat embryos: TUCKETT, LIM & MORRISS-KAY 87, 215

ontogenesis in cranium of rat embryo: TUCKETT & MORRISS-KAY 88, 231

Neurofilaments

changes in activity of polypeptides in Pleurodeles embryos: DUPRAT AND OTHERS 89 Supplement, 167

Neuromeres

ontogenesis in rat embryos: TUCKETT, LIM & MORRISS-KAY 87, 215

ontogenesis in cranium of rat embryo: TUCKETT & MORRISS-KAY 88, 231

Neuromuscular synapses

polyneuronal innervation of adult and embryonic lobster muscle: GOVIND, STEPHENS & EISEN 87, 13

Neuronal projections

and connections from transplanted locust sensory neurons: ANDERSON 85, 207

Neuronal development

in leech embryo: KUWADA 86, 155
Neuronal differentiation

in amphibian embryo: DUPRAT, KAN, FOULQUIER & WEBER 86, 71

Neurones

differentiation in *Pleurodeles waltl* embryos: DUFRAT AND OTHERS **89** Supplement, 167

identified in cockroach – synaptogenesis: BLAGBURN, BEADLE & SATTELLE 86, 227 Neuropore

closure and spinal neural tube defects in rat embryo: copp 88, 39

Neurotransmitters

accumulation and uptake in amphibian embryos: DUPRAT, KAN, FOULQUIER & WEBER 86, 71

synthesis and storage in Pleurodeles embryo cultures: DUPRAT AND OTHERS 89 Supplement, 167

Neurulation

and calcium in mammalian embryos: SMEDLEY & STANISSTREET 89, 1

in rat embryos – effects of cytochalasin D: MORRISS-KAY & TUCKETT 88, 333 theories and relationship to neural tube

theories and relationship to neural tube birth defects: GORDON 89 Supplement, 229

Newt (See Cynopus pyrrhogaster)

monoclonal antibodies to cells of a regenerating limb: KINTNER & BROCKES 89, 37

Nicotinamide adenine dinucleotide (NAD) levels in chick limb bud cell culture in presence of benzamide: NAKANISHI & UYEKI 85, 163

Nocodazole

effect on polarity in mouse blastomeres: JOHNSON & MARO 90, 311

Non-equivalence

in pattern specification in Xenopus blastomere pairs: COOKE & WEBBER 88, 85

in pattern specification in Xenopus lateral halves: COOKE & WEBBER 88, 113

Notochord

formation in living ascidian embryos:

MIYAMOTOA & CROWTHER 86, 1
formation in Xenopus and convergent

extension during gastrulation: KELLER, DANILCHIK, GIMLICH & SHIH 89 Supplement, 185

Notophthalmus viridescens

monoclonal antibodies to cells of a regenerating limb: KINTNER & BROCKES 89, 37

Nuclear

marker to study cell movement in regenerating planarians: SALÓ & BAGUÑÀ 89, 57

Nucleocytoplasmic ratio

and temporal control of early embryonic development in amphibians: SATOH 89 Supplement, 257

Nucleoplasmin

distribution during maturation of Xenopus oocyte: HAUSEN, WANG, DREYER & STICK 89 Supplement, 17 Nurse cell

RNA synthesis in polychaete
Ophryotrocha: EMANUELSSON 88, 249

Ocular development

cell proliferation in scleral
ectomesenchyme in chick embryo: VAN
DE KAMP 88, 265

One-carbon metabolism

in rat embryos undergoing organogenesis:
ROWE & KALAIZIS 87, 137

Oocyte

amphibia – maturation promoting factor and cell cycle regulation: FORD 89 Supplement, 271

mouse

action of phorbol myristate acetate at fertilization *in vitro*: NIEMIERKO & KOMAR **90**, 171

monoclonal antibody recognizing cytokeratin-type filaments:

LEHTONEN 90, 197

Xenopus laevis

maturation: HAUSEN, WANG, DREYER & STICK 89 Supplement, 17

protein synthesis patterns: MEULER & MALACINSKI 89, 71

role of cytoskeleton in development: WYLIE, BROWN, GODSAVE, QUARMBY & HEASMAN 89 Supplement, 1

translational control by intracellular pH and protein phosphorylation: TAYLOR, ROBINSON & SMITH 89 Supplement, 35

Oogenesis

absence of sex vesicles consistent with XY sex chromosome makeup: HOGG & McLAREN 88, 327

in polychaete Ophryotrocha: EMANUELSSON & ANEHUS 85, 151

in Xenopus laevis – dynamics of tubulin structures: Paleček, Habrová, Nedvídek & Romanovský 87, 75

in Xenopus – role of cytoskeleton in development: wylie, brown, godsave, Quarmby & Heasman 89 Supplement, 1

RNA synthesis in polychaete

Ophryotrocha: EMANUELSSON 88, 249

Ophryotrocha labronica

development of germ cells in vitro: EMANUELSSON & ANEHUS 85, 151

RNA synthesis in oogenesis: EMANUELSSON 88, 249

Optic nerve

effect of fibre environment on paths taken by regenerating fibres: TAYLOR & GAZE 89, 383 Optic tectum

factors guiding regenerating retinotectal fibres in Xenopus: FAWCETT 90, 233

Oral development

in ciliate Stentor: DE TERRA 87, 241, 249

Organic anion transport

in isolated single cells in Malpighian tubules in *Rhodnius*: MADDRELL & OVERTON 90, 409

Ossicles

scleral – cell proliferation in chick embryo: VAN DE KAMP 88, 265

Oviduct

growth stimulation in immature chick by androgens: GRAU, REICHHART & THIEBOLD 85, 81

mouse – factor relation to teratocarcinoma cell surface antigen: GAUNT 88, 55

Palate

shelf reorientation – influence of epithelium: BULLEIT & ZIMMERMAN 88, 265

Parental mutant

ts-1 in axolotl: MALACINSKI & BARONE 89 Supplement, 53

Parthenogenone

mouse – development of inner cell mass and trophectoderm tissues: BARTON, ADAMS, NORRIS & SURANI 90, 267

Paternal effect

role in early amphibian pattern specification: MALACINSKI & BARONE 89 Supplement, 53

Pathfinding

by a neuron in embryonic leech: KUWADA 86, 155

Pattern duplications

in fused embryos of Drosophila melanogaster: MARTINEZ-ARIAS 87, 99 in segment polarity mutants of Drosophila melanogaster: MARTINEZ-ARIAS & INGHAM 87, 129

Pattern formation

cautery-induced colour patterns in *Precis* coenia: NIJHOUT 86, 191

during bud formation in mutant strain of hydra: TAKANO & SUGIYAMA 90, 123

during development of lateral line system in *Xenopus laevis*: WINKLBAUER & HAUSEN 88, 193

during intercalary regeneration in cockroach leg: ANDERSON & FRENCH 90, 57

in eye of Drosophila: TOMLINSON 89, 313

in regeneration from chimaeric limb stumps in axolotl: MUNEOKA, HOLLER-DINSMORE & BRYANT 90, 1

Pattern regulation

in fragments of *Drosophila* wing discs: DALE & BOWNES 85, 95

in regeneration from isolated half limbs of axolotl: WIGMORE & HOLDER 89, 333

in regeneration of axolotl hindlimbs with discontinuities: HOLDER & WEEKES 86, 283

Pattern specification

in chimaeric mouse tissues: SCHMIDT, WILKINSON & PONDER 88, 219

in early development of Xenopus: COOKE 89 Supplement, 69

in Xenopus laevis blastomere pairs: COOKE & WEBBER 88, 85

in Xenopus laevis lateral halves: COOKE & WEBBER 88, 113

in Xenopus laevis after u.v. irradiation of egg: COOKE 88, 135
in Xenopus – studied with microgravity

in Xenopus – studied with microgravity simulation: NEFF, MALACINSKI & CHUNG 89, 259

Patterns

of protein synthesis during embryogenesis of urodeles: MEULER & MALACINSKI 89, 71 Peanut agglutinin

patterns of binding in developing grasshopper CNS: BURT & ANDERSON 90,

Periplaneta americana

leg regeneration and wound healing: TRUBY 85, 177

synaptogenesis between cockroach sensory neurones and giant interneurones: BLAGBURN, BEADLE & SATTELLE 86, 227

Peroxisomes

in foetal and newborn rat liver: STEFANINI, FARRACE & ARGENTO 88, 151

pf/pf (pupoid foetus) mutant

abnormal skin development in mice: FISHER & KOLLAR 87, 47

pH
affect on fruiting and slug orientation in
Dictyostelium: BONNER, HAY, JOHN &
SUTHERS 87, 209

intracellular – role in translational control in *Xenopus* oocytes: TAYLOR, ROBINSON & SMITH 89 Supplement, 35

Phorbol myristate acetate (PMA)

action at fertilization of mouse oocytes in vitro: NIEMIERKO & KOMAR 90, 171

Phosphorylation

of ribosomal protein – in translational control in *Xenopus* oocytes: TAYLOR, ROBINSON & SMITH 89 Supplement, 35

Pigment accumulation

around nuclei in early embryos of Anura: KOBAYAKAWA 88, 293

Pink-eyed dilution

expression of mouse genes involved in pigment production: STEPHENSON & HORNBY 87, 65

Placenta

genetic identification of tissue of origin of cellular populations: ROSSANT & CROY 86, 177

Planaria

cell movement in intact and regenerating chimaeras: SALÓ & BAGUÑÀ 89, 57

Pleurodeles waltl

embryo – neural induction and expression of specific neuronal traits: DUPRAT AND OTHERS 89 Supplement, 167

evidence for role of fibronectin in gastrulation: BOUCAUT AND OTHERS 89 Supplement, 211

Polarity

dorsal/ventral in Xenopus embryos: NEFF, MALACINSKI & CHUNG 89, 259

reversed in segment polarity mutants of Drosophila melanogaster: MARTINEZ-ARIAS & INGHAM 87, 129

Polarization

DNA replication and compaction in cleaving mouse embryos: SMITH & JOHNSON 89, 133

membrane organization in preimplantation mouse embryos: PRATT 90, 101

role of cytoskeletal elements in mouse blastomeres: JOHNSON & MARO 90, 311

Poly(A)+ RNA

in Xenopus embryogenesis: DAWID AND OTHERS 89 Supplement, 113

Polychaete (See Ophryotrocha labronica) RNA synthesis in oocyte-nurse cell complex: EMANUELSSON 88, 249

Poly-N-acetyllactosamines

evidence for involvement in cell interactions in mouse embryos: RASTAN, THORPE, SCUDDER, BROWN, GOOI & FEIZI 87, 115

Polyneuronal innervation

of adult and embryonic lobster muscle: GOVIND, STEPHENS & EISEN 87, 13

Polypeptide

synthesis sequence and regulation in first cell cycle in mouse embryo: HOWLETT & BOLTON 87, 175

synthetic patterns in tissues of early chick embryos: LOVELL-BADGE, EVANS & BELLAIRS 85, 65 Positional signalling

maps of strength in chick wing bud: HONIG & SUMMERBELL 87, 163

Postmeiotic

expression of the *Tcp-1* locus of the mouse: SÁNCHEZ & ERICKSON 89, 113

Precis coenia

cautery-induced colour patterns: NUHOUT 86, 191

Precleavage

events in Xenopus and axial body specification: cooke 89 Supplement, 69

Preimplantation

mouse embryo – expression of *Tcp*-1 locus: SÁNCHEZ & ERICKSON 89, 113

mouse embryo – membrane organization: PRATT 90, 101

Prespore

cells in *Dictyostelium discoideum* – cell surface determinants: KREFFT, VOET, GREGG & WILLIAMS 88, 15

Prestalk

cells in *Dictyostelium discoideum* – cell surface determinants: KREFFT, VOET, GREGG & WILLIAMS 88, 15

Previllous ridges

effects of cytochalasin B in chick embryonic intestine: NODA 85, 47

Primary axis

orientation in mouse embryos: SMITH 89, 15

Primitive ectoderm

regeneration of endoderm in mouse: GARDNER 88, 303

Primitive streak stage

mouse embryos – reimplantation and subsequent development:

BEDDINGTON 88. 281

Primordial germ cells

adhesiveness to mouse follicular and Sertoli cell monolayers: DE FELICI & SIRACUSA 87, 87

effect of egg rotation in Xenopus laevis: CLEINE & DIXON 90, 79

factors determining numbers in Xenopus:

AKITA & WAKAHARA 90, 251

Proliferation

in intestinal crypts in mouse chimaeras: SCHMIDT, GARBUTT, WILKINSON & PONDER 85, 121

of chick limb bud chondrocytes in culture with benzamide: NAKANISHI & UYEKI 85, 163

Pronuclei

sequence and regulation of first cell cycle in mouse embryo: HOWLETT & BOLTON 87, 175 Prostaglandin

synthesis during chick limb cartilage differentiation: GAY & KOSHER 89, 159

Protein

degradation curves in mouse embryos: WIEBOLD & ANDERSON 88, 209

ribosomal – role in translational control in Xenopus oocytes: TAYLOR, ROBINSON & SMITH 89 Supplement, 35

synthesis

in mouse preimplantation embryos: sánchez & Erickson 89, 113 patterns in early embryogenesis of urodeles: MEULER & MALACINSKI 89, 71 in preimplantation mouse embryos: KIDDER & CONLON 89, 223

in Tcp-1 mutants of mouse during spermatogenesis: SANCHEZ, HAMMERBERG & ERICKSON 89, 123

role in translational control in *Xenopus* oocytes: TAYLOR, ROBINSON & SMITH 89 Supplement, 35

Proteoglycans

regional specificity in *Xenopus* and axolotl embryos: SLACK, CLEINE & SMITH 89 Supplement, 137

Proteoheparan sulphate

in developing mouse mammary gland: KIMATA, SAKAKURA, INAGUMA, KATO & NISHIZUKA 89, 243

Proteolysis

in rat embryonic yolk sac - role of cathepsins: FREEMAN & BROWN 86, 271

Pseudocholinesterase (BuChE)

activity distribution pattern in chick limb buds: FALUGI & RAINERI 86, 89

Quail

chimaera with chick used to study origin of irideal striated muscle: NAKANO & NAKAMURA 88, 1

Radiation

lethality of tritiated amino acid in mouse embryos: WIEBOLD & ANDERSON 88, 209

Rana rugosa

pigment accumulation around nuclei: KOBAYAKAWA 88, 293

Rat

embryo

calcium and neurulation: SMEDLEY & STANISSTREET 89, 1

effects of cathepsin inhibitors on development in vitro: FREEMAN & BROWN 86, 271

kinetic behaviour of cranial neural cells during neurulation in rat: TUCKETT & MORRISS-KAY 85, 111 ontogenesis of cranial neuromeres – SEM and kinetics: TUCKETT, LIM & MORRISS-KAY 87, 215

ontogenesis of cranial neuromeres: TUCKETT & MORRISS-KAY 88, 231

role of microfilaments in cranial neurulation: MORRISS-KAY & TUCKETT 88, 333

serine metabolism during morphogenesis: ROWE & KALAIZIS 87, 137

foetus and newborn liver peroxisomes: STEFANINI, FARRACE & ARGENTO 88, 151

Reconstituted blastocysts
to determine origin of tissues in mouse
placenta: ROSSANT & CROY 86, 177

Regeneration

and wound healing in the cockroach leg: TRUBY 85, 177

cell movement in planarians: SALÓ & BAGUÑÀ 89, 57

from chimaeric limb stumps in axolotl:
MUNEOKA, HOLLER-DINSMORE & BRYANT 90,

from isolated half limbs in upper arm of axolotl: WIGMORE & HOLDER 89, 333 in newt limb – studied with monoclonal

antibodies: KINTINER & BROCKES 89, 3/
intercalary, cell division in cockroach leg:
ANDERSON & FRENCH 90. 57

an axolotl hindlimbs with discontinuities in anteroposterior axis: HOLDER & WEEKES 86, 283

of endoderm from primitive ectoderm in mouse embryo: GARDNER 88, 303 of optic nerves in Xenopus: TAYLOR &

Regional markers

GAZE 89, 383

to study mesoderm induction in Xenopus laevis: DALE, SMITH & SLACK 89, 289

Regulation

of cell type - influence of cyclic AMP: WEIJER & DURSTON 86, 19

Reorientation

of palate shelf – influence of epithelium: BULLEIT & ZIMMERMAN 88, 265

Replication

chromosomal – origins in early development of *Xenopus*: LASKEY **89 Supplement**, 285

Retin

factors guiding regenerating retinotectal fibres in *Xenopus*: FAWCETT 90, 233

Retinoic acid

and pattern formation in chick wing bud: LEE & TICKLE 90, 139 sensitivity of visceral endoderm differentiation from EC cells: SATO AND OTHERS 88, 165

Reversal

of axes in chick wing buds – behaviour of growing axons: STIRLING & SUMMERBELL 85, 253

Rhodnius prolixus

transport abilities of single epithelial Malpighian cells: MADDRELL & OVERTON 90, 409

Ribonucleoprotein

in preimplantation mouse embryos: KIDDER & CONLON 89, 223

Ribosomal protein

role in translational control in *Xenopus* oocytes: TAYLOR, ROBINSON & SMITH 89 Supplement, 35

RNA

rare hnRNAs

transcription in sea urchin embryos and coelomocytes: KLEENE & HUMPHREYS 85, 131

rare maternal RNAs

transcription in sea urchin embryos and coelomocytes: KLEENE & HUMPHREYS 85, 131

synthesis in oocyte-nurse cell complex in polychaete: EMANUELSSON 88, 249
synthesis of poly(A)⁺ in Xenopus
embryogenesis: DAWID AND OTHERS 89

Supplement, 113

mRNA in ascidian yellow crescents: JEFFERY 89, 275

role in translational control in *Xenopus* oocytes: TAYLOR, ROBINSON & SMITH 89 Supplement, 35

utilization for protein synthesis in preimplantation mouse embryos: KIDDER & CONLON 89, 223

RNA: DNA hybridization

in sea urchin derivatives: KLEENE & HUMPHREYS 85, 131

Robertsonian chromosome

effects on seminiferous epithelium of the mouse: REDI, GARAGNA, HILSCHER & WINKING 85, 1

Romeis fixative

used to study distribution of nuclear proteins: HAUSEN, WANG, DREYER & STICK 89 Supplement, 17

Saccharide

structures of mouse embryo during first eight days of development: PENNINGTON, RASTAN, ROELCKE & FEIZI 90, 335

Salamander

fate of larval chondrocytes during metamorphosis of epibranchial: ALBERCH, LEWBART & GALE 88, 71

Sash (Wsh)

expression of mouse genes involved in pigment production: STEPHENSON & HORNBY 87, 65

Scanning electron microscopy (SEM)

of cell surface changes during cleavage of newt eggs: OHSHIMA & KUBOTA 85, 21

of neurulation in mammalian embryos: SMEDLEY & STANISSTREET 89, 1

study of effects of retinoic acid on pattern formation in chick: LEE & TICKLE 90, 139

Schistocerca gregaria

patterns of peanut agglutinin binding in grasshopper embryo: BURT & ANDERSON 90, 49

Schwann cells

as origin of blastemal cells in newt regenerating limb: KINTNER & BROCKES 89, 37

Scleral ectomesenchyme

cell proliferation in the conjunctival papillae in chick: VAN DE KAMP 88, 265

Scleral mesenchyme

morphogenesis in chick in vitro: ARCHER, ROONEY & COTTRILL 90, 33

Sea urchin

blastulae – transcription rare hnRNAs and maternal RNAs: KLEENE & HUMPHREYS 85, 131

Segment

diversification in *Drosophila* – role of the trithorax gene: INGHAM 89, 349 polarity mutants of *Drosophila* melanogaster: MARTINEZ-ARIAS & INGHAM 87, 129

Seminiferous epithelium

effects of some Robertsonian chromosome combinations in mouse: REDI, GARAGNA, HILSCHER & WINKING 85, 1

Sensory innervation

of chick dermis and epidermis: VERNA 86, 53

Sensory nerves

paths taken in aneural chick wing buds: swanson 86, 109

Sensory neurons

transplanted in locust - projections and connections: ANDERSON 85, 207

Serine metabolism

in rat embryos undergoing organogenesis: ROWE & KALAIZIS 87, 137

Sertoli cells

adhesiveness of mouse primordial germ cells to monolayers: DE FELICI & SIRACUSA 87, 87

effects of some Robertsonian chromosome combinations in mouse: REDI, GARAGNA, HILSCHER & WINKING 85, 1

Sex vesicles

absence in meiotic foetal germ cells in mice: HOGG & McLAREN 88, 327

Shape

measurement – method applied to mouse vertebrae: JOHNSON AND OTHERS 90, 363

Single cells

epithelial transport in Malpighian tubule tissue in *Rhodnius*: MADDRELL & OVERTON **90**, 409

transplantation and chordamesoderm development in *Xenopus*: GIMLICH 89 Supplement, 89

Skeletal actin

control of gene activity in *Xenopus*: GURDON, MOHUN, BRENNAN & CASCIO 89 Supplement, 125

Skin

development in pupoid foetus (pf/pf) mouse mutants: FISHER & KOLLAR 87, 47 selective innervation of chick dermis and epidermis: VERNA 86, 53

Slug orientation

in *Dictyostelium* is affected by pH: BONNER, HAY, JOHN & SUTHERS 87, 207

Sodium transport

across epiblast of early chick embryo: STERN, MANNING & GILLESPIE 88, 365 in isolated single cells in Malpighian tubules in *Rhodnius*: MADDRELL &

OVERTON 90, 409 Somatopleural

mesenchyme – ability to form skeletal muscle in chick wing: KENNY-MOBBS 90,

Somite

chick – protein synthetic patterns: LOVELL-BADGE, EVANS & BELLAIRS 85, 65

migration of neural crest and growth of motor axons in chick: RICKMANN, FAWCETT & KEYNES 90, 437

Spatial expression

of bithorax gene complex in *Drosophila*: CASANOVA, SANCHEZ-HERRERO & MORATA **90**, 179

Specification

cell lineage labels and region-specific markers: SMITH, DALE & SLACK 89 Supplement, 317 in axolotl and *Xenopus* embryos – synthesis of glycoconjugates: SLACK, CLEINE & SMITH **89 Supplement**, 137

information transfer during embryonic inductions in amphibia: GRUNZ 89 Supplement, 349

in neural induction in embryos of Pleurodeles waltl: DUPRAT AND OTHERS 89 Supplement, 167

in Xenopus epidermal development: JONES 89 Supplement, 155

mesoderm induction in Xenopus: DALE, SMITH & SLACK 89, 289

of axial body plan in *Xenopus* after early perturbations: cooke **89 Supplement**, 69

of Xenopus dorsal embryonic body axis: GIMLICH 89 Supplement, 89

single cell analysis of commitment in early embryogenesis: HEASMAN, SNAPE, SMITH & WYLLE 89 Supplement, 297

states of in different regions in the axolotl gastrula: CLEINE & SLACK 86, 247

Sperm

differentiation in carp (Cyprinus carpio):
PARMENTIER & TIMMERMANS 90, 13

role of extragenic components in axolotl early development: MALACINSKI & BARONE 89 Supplement, 53

Spermatocyte

effects of some Robertsonian chromosome combinations in mouse: REDI, GARAGNA, HILSCHER & WINKING 85, 1

Spermatogenesis

effects of some Robertsonian chromosome combinations in mouse: REDI, GARAGNA, HILSCHER & WINKING 85, 1

expression of the Tcp-1 locus of the mouse: SÁNCHEZ & ERICKSON 89, 113

in mouse-induction of cell-cell adhesion by monoclonal antibodies: HO & BECHTOL 90, 211

in mouse Tcp-1 mutants: SANCHEZ, HAMMERBERG & ERICKSON 89, 123

S nhace

chromosome replication in early development of *Xenopus*: LASKEY 89 Supplement, 285

Spinal cord

transection in chick embryo – effects on muscle innervation: LAING & LAMB 89, 209

Stentor

basal body assembly and oral development: DE TERRA 87, 249 inhibition of oral development: DE TERRA 87, 241 Stomach

human – synthesis of apolipoproteins and other proteins: SHI, HOPKINS, THOMPSON, HEATH, LUKE & GRAHAM 85, 191

Striated muscle

origin of iris cells in birds: NAKANO & NAKAMURA 88, 1

Styela

egg - proteins and mRNAs in isolated yellow crescents: JEFFERY 89, 275

Subribosomal

RNP in preimplantation mouse embryos: KIDDER & CONLON 89, 223

Subtractive

cDNA cloning in *Xenopus* embryogenesis:

DAWID AND OTHERS 89 Supplement, 113

Supraorbital system

development in triploid Xenopus embryos:
WINKLBAUER & HAUSEN 88, 183
pattern formation in Xenopus embryos:
WINKLBAUER & HAUSEN 88, 193

Symmetry

in eye of *Drosophila*: TOMLINSON 89, 15 Synaptogenesis between cockroach sensory neurones and

giant interneurones: BLAGBURN, BEADLE & SATTELLE 86, 227

Synthetic peptides

inhibition of mesodermal cell migration in amphibian gastrulation: BOUCAUT AND OTHERS 89 Supplement, 211

t-alleles

protein synthesized in Tcp-1 mouse during spermatogenesis: sánchez, hammerberg & erickson 89, 123

Taxel

effect on polarity in mouse blastomeres: JOHNSON & MARO 90, 311

Tcp-1 locus

expression in mouse during early embryogenesis: SÁNCHEZ & ERICKSON 89, 113

Temporal control

of early embryonic development in amphibians: satoh 89 Supplement, 257

Teratocarcinoma

antigen on cell surface may be oviducal factor: GAUNT 88, 55 differentiation of stem cells into trophoblastic elements: DAMJANOV, DAMJANOV & ANDREWS 86, 125

Teratogenesis

effects of leupeptin and pepstatin on rat embryos in culture: Freeman & BROWN 86, 271

Testosterone

growth stimulation of immature chick oviduct: GRAU, REICHHART & THIEBOLD 85, 81

Texas red

used to study role of gap junctions in amphibian development: WARNER 89 Supplement, 365

Thyroxine

effect on metamorphosis of epibranchial in the salamander: Alberch, Lewbart & GALE 88, 71

Timing mechanism

for early embryonic development in amphibians: satoh 89 Supplement, 257

Tissue morphogenesis

during caudal fin development in Zebra fish: DANE & TUCKER 87, 145

Tissue-specific

enzyme development in muscle cells isolated from ascidian embryos: MITA-MIYAZAWA, IKEGAMI & SATOH 87, 1

Tissue type

effect on cartilage morphogenesis in vitro: ARCHER, ROONEY & COTTRILL 90, 33

Totipotency

in development of early chick blastoderm: KHANER, MITRANI & EYAL-GILADI 89, 235

Transcription

of rare hnRNAs and maternal RNAs in sea urchins: KLEENE & HUMPHREYS 85, 131

Transfer

embryo – used to identify origin of cell populations in mouse placenta: ROSSANT & CROY 86, 177

Transferrin

synthesis in human foetal yolk sack and organs: shi, hopkins, thompson, heath, luke & graham 85, 191

synthesis, storage and secretion in mouse tissues: MEEK & ADAMSON 86, 205

Translational control

role of intracellular pH and ribosomal protein in *Xenopus* oocytes: TAYLOR, ROBINSON & SMITH 89 Supplement, 35

Translocation

of eye in Xenopus - fibre pathways in optic tract: TAYLOR, WILLSHAW & GAZE 85, 225

Transmission ratio distortion

in Tcp-1 mutants of mouse: sánchez, hammerberg & erickson 89, 123

Transplantation

of locust sensory neurons – projections and connections: ANDERSON 85, 207

of pre- and early-primitive-stage mouse embryos: BEDDINGTON 88, 281

of single cells and chordamesoderm development in *Xenopus*: GIMLICH **89** Supplement, 89

Triploidy

development of triploidy in Xenopus triploid embryos: WINKLBAUER & HAUSEN 88, 183

in mouse oocyte – action of phorbol myristate acetate: NIEMIERKO & KOMAR 90, 171

Xenopus laevis tadpoles – number of primordial germ cells: ΑΚΙΤΑ & WAKAHARA 90, 251

TRITC (tetramethyl rhodamine

isothiocyanate)

used in study of single cell analysis of commitment: HEASMAN, SNAPE, SMITH & WYLIE 89 Supplement, 297

Trithorax

gene in *Drosophila* – role in diversification of segments: INGHAM 89, 349

Triturus (See Cynopus)

Trophectoderm

gynogenetic and parthenogenetic – development in mouse: BARTON, ADAMS, NORRIS & SURANI 90, 267

membrane organization in preimplantation mouse embryos: PRATT 90, 101

mouse – developmental variability in expanding blastocysts: chisholm, Johnson, warren, fleming & Pickering 86, 311

Trophoblast

human – synthesis of apolipoproteins and other proteins: SHI, HOPKINS, THOMPSON, HEATH, LUKE & GRAHAM 85, 191

mouse

differentiation from trophectodermal carcinoma stem cells: DAMJANOV, DAMJANOV & ANDREWS 86, 125 genetic identification of tissues: ROSSANT & CROY 86, 177

ts-1 mutant

in axolotl – model system for extragenic effects: MALACINSKI & BARONE 89 Supplement, 53

Tubulin

dynamics of structures in Xenopus laevis oogenesis: PALAČEK, HABROVÁ, NEDVÍDEK & ROMANOVSKÝ 87, 75

role in development of *Xenopus*: WYLIE, BROWN, GODSAVE, QUARMBY & HEASMAN 89 Supplement, 1

Tunicamycin

information transfer during embryonic inductions in amphibia: GRUNZ 89 Supplement, 349

Two-dimensional (2D)

gel electrophoresis

of proteins in mouse preimplantation embryos: sánchez & erickson 89, 113 of proteins in embryogenesis of axolotls: MEULER & MALACINSKI 89, 71

protein synthetic patterns of tissues of early chick embryos: LOVELL-BADGE, EVANS & BELLAIRS 85, 65

Ultrastructure

of endocytotic system in mouse preimplantation embryos: FLEMING & PICKERING 89, 175

Uterine

orientation in mouse embryos: SMITH 89,

U.v. irradiation

and dorsal lip excision in Xenopus laevis: COOKE 88, 135

Vacuoles

intracellular - during formation of ascidian notochord: MIYAMOTO & CROWTHER 86, 1

Vagina

as target for growth stimulation in chick by androgens: GRAU, REICHHART & THIEBOLD 85, 81

Vascular regression

during formation of free digits in avian limb bud: HURLE, COLVEE & FERNANDEZ-TERAN 85, 239

Vertebrae

of mouse – measurement of biological shape: JOHNSON AND OTHERS 90, 363

Video time lapse

to study ascidian notochord formation:
MIYAMOTO & CROWTHER 86, 1

Vimentin

distribution in early *Xenopus* development: WYLIE, BROWN, GODSAVE, QUARMBY & HEASMAN 89 Supplement, 1

Visceral endoderm

differentiation from embryonal carcinoma cells: SATO AND OTHERS 88, 165

Visceral yolk sac

formation in vitro from embryonic stem cells: DOETSCHMAN AND OTHERS 87, 27

Visual projections

from translocated eyes in *Xenopus*: TAYLOR, WILLSHAW & GAZE 85, 225

Visual streak

in adult frog after premetamorphic eye rotation: DUNLOP & BEAZLEY 89, 159

Vitellogenesis

in Xenopus laevis – dynamics of tubulin structures: PALEČEK, HABROVÁ, NEDVÍDEK & ROMANOVSKÝ 87, 75

Wing bud

chick

maps of strength of positional signalling activity: HONIG & SUMMERBELL 87, 163 myogenesis in absence of brachial somites: KENNY-MOBBS 90, 415 with dorsoventral or anteroposterior axis reversed – axon behaviour: STIRLING & SUMMERBELL 85, 251

Wingless (ws)

mutant in chick – role of ZPA in development of wing buds: WILSON & HINCHLIFFE 85, 273

Wound healing

and regeneration in cockroach leg: TRUBY 85, 177

pattern regulation in fragments of Drosophila wing discs: DALE & BOWNES 85. 95

X-chromosome

inactivation and origin of germ line in mouse embryo: GARDNER, LYON, EVANS & BURTENSHAW 88, 349

inactivation in embryo-derived cell lines in mouse: RASTAN & ROBERTSON 90, 379

Xenopus borealis

monoclonal antibody to an epidermal marker: JONES 89 Supplement, 155

Xenopus laevis

actin genes and their developmental control: GURDON, MOHUN, BRENNAN & CASCIO 89 Supplement, 125

early development – specification of body axial plan: COOKE 89 Supplement, 69 effects of fibre environment on

regenerating optic nerves: TAYLOR & GAZE 89, 383

egg

effect of egg rotation on differentiation of germ cells: CLEINE & DIXON 90, 79 pattern specification in blastomere pairs: COOKE & WEBBER 88, 85 pattern specification in lateral halves:

cooke & webber 88, 113

protein synthesis patterns: MEULER & MALACINSKI 89, 71

u.v. irradiation and pattern specification: cooke 88, 135

embryo

cytoplasmic localization and chordamesoderm induction: GIMLICH 89 Supplement, 89

mesoderm induction – studied with cell lineage label and antibodies: DALE, SMITH & SLACK 89, 289

pattern specification in – studied with microgravity simulation: NEFF, MALACINSKI & CHUNG 89, 259

regional specificity of glycoconjugates: SLACK, CLEINE & SMITH 89 Supplement, 137

synchronous cleavage and cytoplasmic cycle: SHINAGAWA 85, 33

factors determining the number of primordial germ cells: AKITA & WAKAHARA 90, 251

factors guiding regenerating retinotectal fibres: FAWCETT 90, 233

gene expression in embryogenesis: DAWID AND OTHERS 89 Supplement, 113

lateral line system

development of supraorbital system in triploid embryos: WINKLBAUER & HAUSEN 88, 183

pattern formation in supraorbital system: WINKLBAUER & HAUSEN 88, 193

maturation promoting factors and amphibian chromosome replication: LASKEY 89 Supplement, 285

monoclonal antibody to an epidermal marker: Jones 89 Supplement, 155

oocyte

role of cytoskeleton in early development: wylle, brown, godsave, quarmby & heasman 89 Supplement, 1

translational control: TAYLOR, ROBINSON & SMITH 89 Supplement, 35

oogenesis – dynamics of tubulin structures: PALEČEK, HABROVÁ, NEDVÍDEK & ROMANOVSKÝ 87,75 visual system – fibre pathways after contralateral eye translocation: TAYLOR, WILLSHAW & GAZE 85, 225

Yellow crescent

of ascidian eggs - proteins and mRNA identification: JEFFERY 89, 275

Yolk granules

RNA synthesis in polychaete

Ophryotrocha: EMANUELSSON 88, 249

Yolk platelets

distribution during maturation of Xenopus oocyte: HAUSEN, WANG, DREYER & STICK 89 Supplement, 17

Yolk sac

human – synthesis of apolipoproteins and other proteins: SHI, HOPKINS, THOMPSON, HEATH, LUKE & GRAHAM 85, 191

mouse

differentiation from trophectodermal carcinoma stem cells: DAMIANOV, DAMIANOV & ANDREWS 86, 125 synthesis, storage and secretion of transferrin: MEEK & ADAMSON 86, 205

rat – role of cathepsins in proteolytic function: FREEMAN & BROWN 86, 271

Yolk synthesis

in polychaete Ophryotrocha: EMANUELSSON & ANEHUS 85, 151

Zebra fish

Brachydanio rerio – caudal fin morphogenesis: DANE & TUCKER 87, 145

Zone of polarizing activity (ZPA) distribution in the legbud of chick embryo:

HINCHLIFFE & SANSOM 86, 169
effect on cell division quiescent mouse 3T3
cells in cocultures: BELL &

McMACHLAN 86, 219

in developing chick wing bud: HONIG & SUMMERBELL 87, 163

role in development of wing buds of wingless mutant chick embryos: WILSON & HINCHLIFFE 85, 271